



宁波胜凯达汽车配件有限公司
NINGBO SKIND AUTO PARTS CO.,LTD

启动机电枢

STARTER ARMTTURE

CAT.2018

BO-61000



Reference No.:

IM175
61-9100
131075
2004004006
2004004007
2004004010

Product info:

Voltage:12V
OAL: 337mm
Splines: 10
F shaft: 12.5mm
R shaft: 14mm
OD: 75mm
Slots: 21

BO-61001



Reference No.:

IM166
61-9101
131309
16360324
2004004033

Product info:

Voltage: 24V
OAL: 337mm
Splines: 10
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

BO-61004



Reference No.:

IM162
61-9104
130115
2004004074
2004004092

Product info:

Voltage:12V
OAL: 290.5mm
Splines: 10
F shaft: 12.5mm
R shaft: 14mm
OD: 74.8mm
Slots: 21

BO-61005



Reference No.:

IM161
61-9105
130116
2004004075
2004004090

Product info:

Voltage:12 V
OAL: 285mm
Splines: 10
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

BO-61009



Reference No.:

IM152
61-9109
130119
2004004062
2004004111

Product info:

Voltage: 24V
OAL: 333mm
Splines:10
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

BO-61010



Reference No.:	Product info:
IM127	Voltage:12V
61-9110	OAL: 334mm
130319	Splines: 10
2004004112	F shaft: 12.5mm
2004004065	R shaft: 14mm
2004004061	OD: 75mm
2004004113	Slots: 33

BO-61012



Reference No.:	Product info:
IM124	Voltage:24 V
61-9112	OAL: 270mm
130320	Splines:
2004005025	F shaft: mm
2004005071	R shaft: mm
20040050151	OD: 83mm
	Slots:

BO-61013



Reference No.:	Product info:
IM122	Voltage: 24V
61-9113	OAL: 235mm
130120	Splines:
2004005022	F shaft: mm
2004005037	R shaft: mm
2004005046	OD: 83mm
2004005153	Slots:

BO-61017



Reference No.:	Product info:
IM156	Voltage: 12V
61-9117	OAL: 329mm
138848	Splines: 10
9001083327	F shaft: mm
9001083498	R shaft: mm
93210791	OD: 73mm
	Slots:

BO-61018



Reference No.:	Product info:
61-9118	Voltage: 12V
131663	OAL: 263mm
9001049121	Splines: 10
1004003912	F shaft: mm
1004003170	R shaft: mm
1004003142	OD: 65mm
1004003138	Slots:
1004003133	
1004003130	

BO-61019




Reference No.:	Product info:
61-9119	Voltage: 24V
131116	OAL: 366mm
2004014928	Splines:10
2004004968	F shaft: mm
2004004928	R shaft: mm
2004004128	OD: 75mm
2004004115	Slots:

BO-61020



Reference No.:	Product info:
61-9120	Voltage: 24V
132904	OAL: 428.50mm
2007010061	Splines:19
2007010059	F shaft: mm
2004005918	R shaft: mm
2004005061	OD: 85mm
2004005004	Slots:
2004005003	

BO-61021



Reference No.:	Product info:
IM173	Voltage: 12V
IM197	OAL: 312mm
61-9121	Splines: 10
130117	F shaft: 12.5mm
2004004076	R shaft: 14mm
2004004091	OD: 75mm
2004004094	Slots:21

BO-61024



Reference No.:	Product info:
IM105	Voltage: 24V
61-9124	OAL: 256mm
131311	Splines:
2004005023	F shaft: mm
2004005024	R shaft: mm
2004005028	OD: 83mm
	Slots:

BO-61025




Reference No.:	Product info:
IM2102	Voltage:12V
61-9125	OAL: 138mm
1004011032	Splines: 11
1004011051	F shaft: 8mm
1004011070	R shaft: 10mm
132816	OD: 55mm
335177	Slots: 28

BO-61026



Reference No.:	Product info:
61-9126	Voltage: 12V
132332	OAL: 366mm
2004004926	Splines: 10
2004004105	F shaft: mm
	R shaft: mm
	OD: 75mm
	Slots:

BO-61027



Reference No.:	Product info:
IM2105	Voltage:12V
IM2108	OAL: 163mm
61-9127	Splines: 18
132815	F shaft: 8mm
1004011030	R shaft: 10mm
1004011033	OD: 58.9mm
1004011048	Slots: 23

BO-61029



Reference No.:	Product info:
IM2112	Voltage: 12V
61-9129	OAL: 366mm
134514	Splines:10
333588	F shaft: mm
1004011042	R shaft: mm
1004011062	OD: 75mm
1004011068	Slots:

BO-61030



Reference No.:	Product info:
IM2113	Voltage:12 V
IM2118	OAL:123mm
61-9130	Splines:9
137069	F shaft: mm
1004011058	R shaft: mm
	OD:55mm
	Slots:

BO-61031

Reference No.:	Product info:
IM2101	Voltage:12V
IM2106	OAL: 163mm
IM2104	Splines: 15
61-9131	F shaft: 8mm
1004011022	R shaft: 10mm
1004011031	OD: 59mm
1004011036	Slots: 23
1004011053	

BO-61033



Reference No.:

61-9133
135351
2004014965
2004004965
2004004056
2004004040
2004004037

Product info:

Voltage: 12V
OAL: 322.50mm
Splines:10
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

BO-61034



Reference No.:

IM2100
61-9134
132031
1004012450
9003334034
9003334033
9003334029
9003334028
9003334026
9003334025
9001140339

Product info:

Voltage: 12V
OAL:158mm
Splines:18
F shaft: mm
R shaft: mm
OD: 50mm
Slots:

BO-61035



Reference No.:

61-9135
137233
2004014967
2004004055

Product info:

Voltage: 12V
OAL: 301mm
Splines:10
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

BO-61036



Reference No.:

IM2117
61-9136
136784
9003334031
9003334032

Product info:

Voltage: 12V
OAL:152mm
Splines: 15
F shaft: mm
R shaft: mm
OD: 50mm
Slots:

BO-61040



Reference No.:

61-9140
130060
1004003901
1004003143
1004003134

Product info:

Voltage: 12V
OAL: 253mm
Splines:10
F shaft: mm
R shaft: mm
OD: 65mm
Slots:

BO-61048



Reference No.:

61-9148
233715
1004011304
1004011084

Product info:

Voltage: 12V
OAL: 145.50mm
Splines:
F shaft: mm
R shaft: mm
OD: 55mm
Slots:

BO-61049



Reference No.:

61-9149
234022
1004011092
1004011073

Product info:

Voltage: 12V
OAL:146mm
Splines:
F shaft: mm
R shaft: mm
OD: 55mm
Slots:

BO-61050



Reference No.:

IM2131
61-9150
231065
335077
1004011089

Product info:

Voltage: 12V
OAL: 115.5mm
Splines:
F shaft: mm
R shaft: mm
OD: 55mm
Slots:

BO-61051



Reference No.:

IM2130
61-9151
139658
02A911311D
1004011083
1004011096

Product info:

Voltage: 12V
OAL: 123mm
Splines:
F shaft: mm
R shaft: mm
OD: 55mm
Slots:

BO-61028



Reference No.:

61-9128

Product info:

Voltage:12V
OAL: 145mm
Splines: 13
F shaft: 10mm
R shaft: 8mm
OD: 59.1mm
Slots: 23

BO-61057



Reference No.:

IM3166
61-9157
1004011210
06B911311
330084

Product info:

Voltage:12V
OAL: 113.5mm
Splines: 11
F shaft: 12.5mm
R shaft: 8mm
OD: 52mm
Slots: 28

BO-61002



Reference No.:

IM133
61-9102
130113
2004004071

Product info:

Voltage:12V
OAL: 282mm
Splines: 10
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

BO-61003



Reference No.:

IM131
61-9103
130114
2004004072
2007031003

Product info:

Voltage:12V
OAL: 288mm
Splines: 10
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

BO-61028

Reference No.:

IM2111
61-9128
1004011043
1004011057

Product info:

Reference No.:

IM2110
61-9132
138674
1004011040
1004011054

Product info:

Voltage:12V
OAL: 163mm
Splines: 11
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

BO-61032



BO-61059



Reference No.:

IM3142
61-9159
1004011212
235324
9949609

Product info:

Voltage:12V
OAL: 114mm
Splines:
F shaft: mm
R shaft: mm
OD: 52mm
Slots:

BO-61500



Reference No.:

IM2115
239760
1004011201
1004011098
1004011059

Product info:

Voltage:12V
OAL: 160mm
Splines:
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

BO-61501



Reference No.:

IM196
136986
2004004078
2004014955

Product info:

Voltage:12V
OAL: 290.50mm
Splines:10
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

BO-61502



Reference No.:

IM2109
136231
1004011902
1004011099
1004011055
1004011045
1004011041

Product info:

Voltage:12V
OAL: 148mm
Splines:
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

BO-61503



Reference No.:

IM2114
137284
1004011087
1004011074

Product info:

Voltage:12V
OAL: 149.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

BO-61504



Reference No.:

IM2120
137893
1004011072
1004011088

Product info:

Voltage:12V
OAL: 149.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

BO-61505



Reference No.:

IM2126
137479
9003334037
9003334030
9003334027

Product info:

Voltage:12V
OAL: 158.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 50mm
Slots:

BO-61506



Reference No.:

IM2127
230518
1004011067
1004011207

Product info:

Voltage:12V
OAL: 160.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

BO-61507



Reference No.:

IM2128
139704
1004011090

Product info:

Voltage:12V
OAL: 149.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

BO-61508



Reference No.:

IM2129
139703
069911311C
1004011082

Product info:

Voltage:12V
OAL: 143.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

BO-61509



Reference No.:

IM2132
230371
1004011208

Product info:

Voltage:12V
OAL: 149.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

BO-61510



Reference No.:

IM3141
IM2142
237748
1658732
6033AD5148

Product info:

Voltage:24V
OAL: 174.20mm
Splines:
F shaft: mm
R shaft: mm
OD: 59.95mm
Slots:

BO-61511



Reference No.:

IM2137
233698
6033AD0446
6033AD1051
6033AD1104

Product info:

Voltage:12V
OAL: 140.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 58mm
Slots:

BO-61512



Reference No.:

IM2138
233475
5821G0
6033AD0010
6033AD0436
6033AD1059

Product info:

Voltage:12V
OAL: 144.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 58mm
Slots:

BO-61513



Reference No.:

IM2136
1382549
139657
6033AD0285
6033AD4013
6033AD4080
9003334093

Product info:

Voltage:24V
OAL: 169.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 60mm
Slots:

BO-61514



Reference No.:

IM2139
233585
6033AD0121
6033AD3018
6033AD3242
9003334040

Product info:

Voltage:12V
OAL: 169.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 60mm
Slots:

BO-61515



Reference No.:

IM2125
137479
9003334027
9003334030

Product info:

Voltage:12V
OAL: 158.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 50mm
Slots:

BO-61516



Reference No.:

IM3145
1004011217
1004011235
238108
5821G7
77363235

Product info:

Voltage:12V
OAL: 129.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 52mm
Slots:

BO-61517



Reference No.:

IM2122
139404
1004011080
1004011202
1004011205

Product info:

Voltage:12V
OAL: 160.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

Reference No.:

Product info:

DL-61007



Reference No.:	Product info:
61-107	Voltage: 12V
131400	OAL: 281mm
10470773	Splines:
10498863	F shaft: mm
1940624	R shaft: mm
1970548	OD: 74mm
10MT	Slots:

DL-61014



Reference No.:	Product info:
61-114	Voltage: 12/24V
131137	OAL: 355.60mm
D4123	Splines:
1967042	F shaft: mm
1948691	R shaft: mm
1942244	OD: 85.00mm
1935259	Slots:
1932872	

DL-61015



Reference No.:	Product info:
61-115	Voltage: 12 V
130552	OAL: 394.00mm
1967045	Splines:
1948999	F shaft: mm
1946391	R shaft: mm
	OD: 85mm
	Slots:

DL-61018



Reference No.:	Product info:
IM418	Voltage: 12V
61-118	OAL: 390mm
131354	Splines: 3
1985249	F shaft: 14.2mm
1985947	R shaft: 14.2mm
37MT	OD: 84mm
	Slots: 29

DL-61019



Reference No.:	Product info:
IM420	Voltage: 24V
61-119	OAL: 390mm
131359	Splines: 3
1988322	F shaft: 14.2mm
37MT	R shaft: 14.2mm
	OD: 84mm
	Slots: 29

DL-61020

Reference No.:

IM409
 61-120
 130551
 1961320
 1945906
 1952530
 40MT

Product info:

Voltage: 12V
 OAL: 467mm
 Splines:19
 F shaft: 15.8mm
 R shaft: 14.2mm
 OD: 85mm
 Slots:25

DL-61021

Reference No.:

IM410
 61-121
 130923
 1948508
 1945500
 40MT

Product info:

Voltage: 24V
 OAL: 467mm
 Splines:19
 F shaft: 15.8mm
 R shaft: 14.2mm
 OD: 85mm
 Slots:25

DL-61022

Reference No.:

IM419
 61-122
 131365
 1987989
 42MT

Product info:

Voltage: 12V
 OAL: 451mm
 Splines:19
 F shaft: 15.8mm
 R shaft: 14.2mm
 OD: 84mm
 Slots:25

DL-61023

Reference No.:

IM421
 61-123
 131350
 1988435

Product info:

Voltage: 24V
 OAL: 451mm
 Splines:19
 F shaft: 15.8mm
 R shaft: 14.2mm
 OD: 84mm
 Slots:25

DL-61024

Reference No.:

IM414
 61-124
 130554
 1945840
 50MT

Product info:

Voltage: 24V
 OAL: 484mm
 Splines:19
 F shaft: 15.8mm
 R shaft: 17.3mm
 OD: 96mm
 Slots:25

DL-61025



Reference No.:
IM416
61-125
130553
1951254

Product info:
Voltage: 24V
OAL: 533mm
Splines:19
F shaft: 15.8mm
R shaft: 17.3mm
OD: 96mm
Slots:25

DL-61026

Reference No.:
61-126

Product info:
Voltage: V
OAL: mm
Splines:
F shaft: mm
R shaft: mm
OD: mm
Slots:

DL-61032



Reference No.:
61-132
132729
10467325

Product info:
Voltage: 12V
OAL: 256.58mm
Splines:
F shaft: mm
R shaft: mm
OD: 62.28mm
Slots:

DL-61033



Reference No.:
61-133
131627
1876366
1949190
1950417
1960866
20MT
25MT
27MT

Product info:
Voltage: 12V
OAL: 335.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 74.00mm
Slots:

DL-61034



Reference No.:
61-134
131403
1893449
1974786
20MT
25MT
27MT

Product info:
Voltage: 12V
OAL: 282.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 69.00mm
Slots:

DL-61036



Reference No.:	Product info:
61-136	Voltage: 12V
131659	OAL: 301.00mm
1950307	Splines:
10MT	F shaft: mm
	R shaft: mm
	OD: 69.00mm
	Slots:

DL-61037

Reference No.:	Product info:
61-137	Voltage: V
	OAL: mm
	Splines:
	F shaft: mm
	R shaft: mm
	OD: mm
	Slots:

DL-61038

Reference No.:	Product info:
61-138	Voltage: V
	OAL: mm
	Splines:
	F shaft: mm
	R shaft: mm
	OD: mm
	Slots:

DL-61039



Reference No.:	Product info:
61-139	Voltage: 12V
132685	OAL: 254.00mm
10456406	Splines:
10467708	F shaft: mm
	R shaft: mm
	OD: 62.00mm
	Slots:

DL-61040



Reference No.:	Product info:
IM3064	Voltage: 12V
61-140	OAL: 120.5mm
230604	Splines: 12
10465167	F shaft: 9.8mm
10475588	R shaft: 8mm
10475597	OD: 53mm
	Slots: 21

DL-61042

Reference No.:

61-142

Product info:

Voltage: V
OAL: mm
Splines:
F shaft: mm
R shaft: mm
OD: mm
Slots:

DL-61043



Reference No.:

61-143
232890
10473852
41MT

Product info:

Voltage: 12V
OAL: 391mm
Splines:19
F shaft: 15.8mm
R shaft: 14.2mm
OD: 82mm
Slots:29

DL-61044



Reference No.:

61-144
232891
10472559
41MT

Product info:

Voltage: 24V
OAL: 391mm
Splines:19
F shaft: 15.8mm
R shaft: 14.2mm
OD: 82mm
Slots:29

DL-61045




Reference No.:

IM3072
61-145
230388
10451976
10475990

Product info:

Voltage: 12V
OAL: 128.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 54.00mm
Slots:

DL-61046



Reference No.:

IM3093
61-146
231471
10492437
M106X54271

Product info:

Voltage: 12V
OAL: 143mm
Splines:11
F shaft: 10mm
R shaft: 10mm
OD: 53.8mm
Slots:25

DL-61047

Reference No.:

61-147

Product info:

Voltage: V
OAL: mm
Splines:
F shaft: mm
R shaft: mm
OD: mm
Slots:

DL-61048



Reference No.:

61-148
10485270

Product info:

Voltage:12V
OAL: 123mm
Splines: 11
F shaft: 10mm
R shaft: 10mm
OD: 54mm
Slots: 28

DL-61049

Reference No.:

61-149
10453917

Product info:

Voltage: 12V

DL-61050

Reference No.:

61-150
10511844
38MT

Product info:

Voltage: 12V

DL-61051




Reference No.:

61-151
233960
10511758

Product info:

Voltage:12V
OAL: 197mm
Splines: 20
F shaft: 15mm
R shaft: 12mm
OD: 76.2mm
Slots: 21

DL-61052



Reference No.:

61-152
333058
10511750
39MT

Product info:

Voltage: 24V
OAL: 197mm
Splines: 20
F shaft: 15mm
R shaft: 12mm
OD: 76.2mm
Slots: 21

DL-61060

Reference No.:

61-160
10511866
38MT

Product info:

Voltage: 24V

DL-61035



Reference No.:

68-135
131658
1949190
1950417
20MT
25MT
27MT

Product info:

Voltage: 12/24V
OAL: 335.00mm
Splines: 6
OD: 74.00mm

DL-61058

Reference No.:

61-158
10515833
29MT

Product info:

Voltage: 12V

DL-61500



Reference No.:

IM3116
233961
M106X45071
39MT

Product info:

Voltage: 24V
OAL: 195.80mm
OD: 68.00mm

DL-61501

Reference No.:

IM3115
233960
10511758
39MT

Product info:

Voltage: 12V
OAL: 197.20mm
OD: 76.20mm

DL-61502

Reference No.:

29MT

Product info:

Voltage: 24V

Reference No.:

Product info:

Reference No.:

Product info:

Reference No.:

Product info:

FO-61000



Reference No.:

61-200
E2BZ-11005-A

Product info:

Voltage:12V
OAL:236mm
Splines:12
F shaft: 11.9mm
R shaft: 15.8mm
OD: mm
Slots:

FO-61003



Reference No.:

61-203

Product info:

Voltage:12V
OAL:210mm
Splines:12
F shaft: 11.9mm
R shaft: 15.8mm
OD: mm
Slots:

FO-61007



Reference No.:

61-207

Product info:

Voltage:12V
OAL:238mm
Splines:12
F shaft: 11.9mm
R shaft: 15.8mm
OD: 75mm
Slots:25

FO-61009

Reference No.:

61-209
E4FZ-11005-A

Product info:

Voltage:V
OAL:mm
Splines:
F shaft: mm
R shaft: mm
OD: mm
Slots:

FO-61011



Reference No.:

61-211
231138
F2TZ11005A

Product info:

Voltage:12V
OAL:127mm
Splines:11
F shaft: 10mm
R shaft: 11.93mm
OD: 55mm
Slots:28

FO-61012



Reference No.:
61-212

Product info:
Voltage:12V
OAL:180mm
Splines:9
F shaft: 10mm
R shaft: 17mm
OD: 53.8mm
Slots:23


FO-61015



Reference No.:
61-215
IM3121
231080

Product info:
Voltage:12V
OAL:122mm
Splines:
F shaft: mm
R shaft: mm
OD: 44.00mm
Slots:

FO-61010



Reference No.:
61-210
136634
IM3066
E90Z-11005-A

Product info:
Voltage:12V
OAL:129mm
Splines:11
F shaft: 10mm
R shaft: 11.93mm
OD: 55mm
Slots:28

FO-61016



Reference No.:
61-216
IM3120
235725

Product info:
Voltage:12V
OAL:110mm
Splines:9
OD:44mm

Reference No.:

Product info:

HI-61000



Reference No.:

61-8100
132454

Product info:

Voltage: 12V
OAL: 167.20mm
Splines:
F shaft: mm
R shaft: mm
OD: 52.90mm
Slots:

HI-61001



Reference No.:

61-8101
23310-37502

Product info:

Voltage: 12V
OAL: 279mm
Splines:12
F shaft: 14mm
R shaft: 15mm
OD: mm
Slots:

HI-61003



Reference No.:

61-8103
133031
2114-91001

Product info:

Voltage: 12V
OAL: 205.70mm
Splines:10
F shaft: mm
R shaft: mm
OD: 64.90mm
Slots:

HI-61005




Reference No.:

61-8105
135649
2114-61103

Product info:

Voltage: 12V
OAL: 207.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 64.90mm
Slots:

HI-61006



Reference No.:

61-8106
IM3000
132798
2130-21003
2130-51002
2130-31003
2114-91002
2130-41004

Product info:

Voltage:12V
OAL: 188mm
Splines: 11
F shaft: 17mm
R shaft: 8mm
OD: 52.8mm
Slots: 27

HI-61008



Reference No.:

61-8108
132457
2130-7100
2130-3100

Product info:

Voltage: 12V
OAL: 300mm
Splines:12
F shaft: mm
R shaft: mm
OD: 74.50mm
Slots:

HI-61010



Reference No.:

61-8110
IM3017
133056
2270-3100
23310-99205
23310-T9006

Product info:

Voltage: 24V
OAL: 165.00mm
Splines:11
F shaft: mm
R shaft: mm
OD: 60.00mm
Slots:

HI-61011




Reference No.:

61-8111
IM3035
137092
2130-11001
23310-54A00
23310-J5501

Product info:

Voltage: 12V
OAL: 165.00mm
Splines:
F shaft: mm
R shaft: mm
OD: 60mm
Slots:

HI-61012



Reference No.:

61-8112
23310-42L60

Product info:

Voltage: 12V
OAL: 111mm
Splines:10
F shaft: 16mm
R shaft: 12.5mm
OD: mm
Slots:

HI-61013




Reference No.:

61-8113
138701
IM3059
23310-50Y01

Product info:

Voltage: 12V
OAL: 110mm
Splines:10
OD: 55.50mm

HI-61014



Reference No.:

61-8114
IM3044
23310-0M300
137948
2114-11111
2114-21111
8971303040

Product info:

Voltage:12V
OAL: 111mm
Splines: 8
F shaft: 6.7mm
R shaft: 11.9mm
OD: 50.5mm
Slots: 29

HI-61015



Reference No.:

61-8115
23310-77A00

Product info:

Voltage: 12V
OAL: 105mm
Splines:10
F shaft: 12.5mm
R shaft: 17mm
OD: mm
Slots:

HI-61019



Reference No.:

61-8119
23310-D0200

Product info:

Voltage: 12V
OAL: 190mm
Splines:10
F shaft: 12.5mm
R shaft: 12.5mm
OD: mm
Slots:

HI-61020



Reference No.:

61-8120
23310-1P100

Product info:

Voltage: 12V
OAL: 117mm
Splines:10
F shaft: 8mm
R shaft: 12mm
OD: mm
Slots:

HI-61021




Reference No.:

61-8121
23310-U0100

Product info:

Voltage: 12V
OAL: 206mm
Splines:10
F shaft: 12.5mm
R shaft: 12.5mm
OD: mm
Slots:

HI-61017



Reference No.:

61-8117
IM3056
136249
2130-61004
2130-81004
23310-0Y000

Product info:

Voltage:12V
OAL: 180mm
Splines: 11
F shaft: 17mm
R shaft: 8mm
OD: 52.7mm
Slots: 27

HI-61023



Reference No.:

61-8123
IM3037

Product info:

Voltage:12V
OAL: 195mm
Splines: 11
F shaft: 20mm
R shaft: 8mm
OD: 52.7mm
Slots: 27

HI-61024



Reference No.:

61-8124
IM3038
137120
2114-41100

Product info:

Voltage:12V
OAL: 145mm
Splines: 9
F shaft: 20mm
R shaft: 8mm
OD: 50.4mm
Slots: 29

HI-61500



Reference No.:

IM3057
136249
233886
2130-61004
2130-81004
23310-0Y000
4HF1

Product info:

Voltage:12V
OAL: 181mm
Splines:11
F shaft: mm
R shaft: mm
OD: 52.7mm
Slots:

HI-61501



Reference No.:

IM3032
138830
2240-2100

Product info:

Voltage:24V
OAL: 196mm
Splines:11
F shaft: mm
R shaft: mm
OD: 52.7mm
Slots:

HI-61502



Reference No.:

IM3037
136248
2130-41003
23310-02N00

Product info:

Voltage:12V
OAL: 196mm
Splines:11
F shaft: mm
R shaft: mm
OD: 52.7mm
Slots:

HI-61503



Reference No.:

IM3027
132456
2130-1101
2130-31002

Product info:

Voltage:12V
OAL: 174mm
Splines:11
F shaft: mm
R shaft: mm
OD: 52.7mm
Slots:

HI-61504

Reference No.:

IM3136
8973658240
S13-555
S13-555A

Product info:

Voltage:12V

HI-61505



Reference No.:

IM3175
IM3155
330156

Product info:

Voltage:12V
OAL: 103mm
Splines:8
F shaft: mm
R shaft: mm
OD: 50.6mm
Slots:

HI-61506




Reference No.:

IM3025
136190
2210-41001
23310-99118

Product info:

Voltage:24V
OAL: 204mm
Splines:11
F shaft: mm
R shaft: mm
OD: 65mm
Slots:

MI-61002



Reference No.:

61-8302-1
139646
IM3045
M106X29272
M106X41971
6D31
4D31

Product info:

Voltage:12V
OAL: 177.5mm
Splines: 9
F shaft: 17mm
R shaft: 12mm
OD: 60mm
Slots: 23

MI-61003




Reference No.:

61-8303
132486
IM3041
M106X29871
M106X41672
4D30

Product info:

Voltage:12V
OAL: 152mm
Splines: 9
F shaft: 15mm
R shaft: 9mm
OD: 53.5mm
Slots: 25

MI-61010



Reference No.:

61-8310
23310-U7510

Product info:

Voltage: 12V
OAL: 139mm
Splines:9
F shaft: 15mm
R shaft: 8mm
OD: mm
Slots:

MI-61011



Reference No.:

61-8311
139352
IM3039
F4TZ11005A

Product info:

Voltage:12V
OAL: 170mm
Splines:13
F shaft: 10mm
R shaft: 9mm
OD: 53.6mm
Slots: 23

MI-61012



Reference No.:

61-8312
23310-N5910

Product info:

Voltage: 12V
OAL: 147mm
Splines:9
F shaft: 15mm
R shaft: 8mm
OD: mm
Slots:

MI-61013




Reference No.:

61-8313
135832
IM3061
M106T08671
M106X52171

Product info:

Voltage:12V
OAL: 121.5mm
Splines: 11
F shaft: 10mm
R shaft: 10mm
OD: 53.6mm
Slots: 29

MI-61014



Reference No.:

61-8314
136196
IM3026
M106X29171

Product info:

Voltage:24V
OAL: 177.5mm
Splines: 9
F shaft: 17mm
R shaft: 12mm
OD: 60mm
Slots: 23

MI-61015




Reference No.:

61-8315
ME700832

Product info:

Voltage: 24V
OAL: 202mm
Splines:11
F shaft: 12mm
R shaft: mm
OD: mm
Slots:

MI-61016



Reference No.:

61-8316
136334
IM3071
M106X50171
MD618451
MD611204

Product info:

Voltage: 12V
OAL: 121mm
Splines:11
F shaft: 10mm
R shaft: 8mm
OD: 53.8mm
Slots:29

MI-61017




Reference No.:

61-8317
139398
IM3081
M106X57671
MD619164,
M106X58771
M106T57671

Product info:

Voltage:12V
OAL: 106.5mm
Splines: 9
F shaft: 8mm
R shaft: 10mm
OD: 53.6mm
Slots: 29

MI-61018



Reference No.:

61-8318
230499
IM3109
M106X58671
M106X59771,
M106X58971

Product info:

Voltage: 12V
OAL: 113.60mm
Splines:9
F shaft: mm
R shaft: mm
OD: 53.6mm
Slots:

MI-61020



Reference No.:

61-8320
ME700037
ME700321
M106X41271
M106X29171

Product info:

Voltage: 24V
OAL:178mm
Splines:9
F shaft: 17mm
R shaft: 12mm
OD: 60mm
Slots:

MI-61022



Reference No.:

61-8322
23310-AA010
31311-60A11

Product info:

Voltage: 12V
OAL: 144mm
Splines:11
F shaft: 10mm
R shaft: 8mm
OD: mm
Slots:

MI-61023



Reference No.:

61-8323
IM3138

Product info:

Voltage:12 V
OAL: 127mm
Splines:11
F shaft: 10mm
R shaft: 10mm
OD: 53.8mm
Slots:25

MI-61024




Reference No.:

61-8324

Product info:

Voltage: 12V
OAL: 147mm
Splines:9
F shaft: 15mm
R shaft: 8mm
OD: mm
Slots:

MI-61037



Reference No.:

61-8337
138962
IM3079
M106X43571
MD618958,
M106X43572
4D33

Product info:

Voltage:12V
OAL: 141mm
Splines: 13
F shaft: 10mm
R shaft: 9mm
OD: 53.7mm
Slots: 25

MI-61035



Reference No.:

61-8335
139825
IM3095
M105X43771
4D33

Product info:

Voltage:24V
OAL: 141mm
Splines: 13
F shaft: 10mm
R shaft: 9mm
OD: 53.7mm
Slots: 25

MI-61008




Reference No.:

~~68-8308~~ 61-8308
133034
IM3040
M106X29371
4D30

Product info:

Voltage:24V
OAL: 1151.40mm
Splines: 9
F shaft: mm
R shaft: mm
OD: 53.6mm
Slots:

MI-61025



Reference No.:

61-8325

Product info:

Voltage:12V
OAL: 125.6mm
Splines: 9
F shaft: 10mm
R shaft: 8mm
OD: 53.8mm
Slots: 25

MI-61500



Reference No.:

138962
237088
IM3079
M106X43571
M106X43572
MD618958

Product info:

Voltage:12V
OAL: 141.00mm
Splines: 13
F shaft: 10mm
R shaft: 9mm
OD: 53.5mm
Slots: 25

MI-61501

Reference No.:
6D34

Product info:
Voltage: 24V
OAL:154mm
Splines:13
F shaft:10mm
R shaft:9mm
OD:53.5mm
Slots:25

MI-61502



Reference No.:
IM3096
234100
M9T60371

Product info:
Voltage: 24V
OAL:177mm
Splines:13
F shaft: mm
R shaft: mm
OD:60.20mm
Slots:

MI-61503



Reference No.:
134737
IM3036
M106X51671
MD607552
M106T01970

Product info:
Voltage: 12V
OAL:204mm
Splines:8
F shaft: mm
R shaft: mm
OD:60mm
Slots:

MI-61504

Reference No.:
IM3047
M106T05571

Product info:
Voltage: 12V

MI-61040



Reference No.:
61-8340
IM3088
ME701446
M105X43671

Product info:
Voltage: 24V
OAL:171mm
Splines:13
F shaft: mm
R shaft: mm
OD:53.6mm
Slots:

MI-61028

Reference No.:

61-8328
IM3173
330487

Product info:

Voltage: 12V

MI-61001



Reference No.:

61-8301
IM3046
132487
M106X40671
M106X50671

Product info:

Voltage: 12V
OAL:169mm
Splines:9
F shaft: mm
R shaft: mm
OD:53.6mm
Slots:

MI-61505

Reference No.:

6D34

Product info:

Voltage: 12V

MI-61506



Reference No.:

IM3151
239517

Product info:

Voltage: 12V
OAL:115.5mm
Splines:9
F shaft: mm
R shaft: mm
OD:53.6mm
Slots:

MI-61507



Reference No.:

IM3138
234974

Product info:

Voltage: 12V
OAL:127.2mm
Splines:11
F shaft: mm
R shaft: mm
OD:53.8mm
Slots:

MI-61508



Reference No.:

IM3131
235247

Product info:

Voltage: 12V
OAL:133mm
Splines:11
F shaft: mm
R shaft: mm
OD:54mm
Slots:

MI-61509




Reference No.:

IM3139
231468

Product info:

Voltage: 12V
OAL:132mm
Splines:9
F shaft: mm
R shaft: mm
OD:54mm
Slots:

MI-61510



Reference No.:

IM3176
332333

Product info:

Voltage: 12V
OAL:133mm
Splines:14
F shaft: mm
R shaft: mm
OD:54mm
Slots:

MI-61511



Reference No.:

IM3094
M106X40871
ME700854
231771

Product info:

Voltage: 24V
OAL:169mm
Splines:9
F shaft: mm
R shaft: mm
OD:53.60mm
Slots:

MI-61512

Reference No.:

IM3143

Product info:

Voltage: 12V

MI-61513



Reference No.:

IM3144
237825
M106X43871

Product info:

Voltage: 12V
OAL:141mm
Splines:11
F shaft: mm
R shaft: mm
OD:53.7mm
Slots:

MI-61514

Reference No.:

8DC9
M106X40571

Product info:

Voltage: 24V

Reference No.:

Product info:

Reference No.:

Product info:

Reference No.:

Product info:

NI-61000



Reference No.:

61-8200
AR66778

Product info:

Voltage: 12V
OAL: 396mm
Splines: 4
F shaft: 17mm
R shaft: 17mm
OD: mm
Slots:

NI-61002




Reference No.:

61-8202
132796
IM3050
028200-1531
028200-2120

Product info:

Voltage: 12 V
OAL: 154.8mm
Splines: 13
F shaft: 10mm
R shaft: 9mm
OD: 53.7mm
Slots: 25

NI-61003-2




Reference No.:

61-8203-2
IM3023
28160-47040

Product info:

Voltage: ~~24V~~ 12V
OAL: 187mm
Splines: 9
F shaft: 17mm
R shaft: 10mm
OD: 60mm
Slots: 23

NI-61004



Reference No.:

61-8204
IM3070
139701
1811210420
028200-2800

Product info:

Voltage: 12V
OAL: 211mm
Splines: 18
F shaft: 15mm
R shaft: 10mm
OD: 65mm
Slots: 23

NI-61007




Reference No.:

61-8207
IM3067
134369
5811210290
28160-54070

Product info:


Voltage: 12V
OAL: 167.5mm
Splines: 19
F shaft: 10mm
R shaft: 8mm
OD: 50.4mm
Slots: 23

NI-61008



Reference No.:	Product info:
61-8208	Voltage:24V
IM3069	OAL: 211mm
138675	Splines: 18
1811210440	F shaft: 15mm
028200-5250	R shaft: 10mm
	OD: 65mm
	Slots: 23

NI-61009



Reference No.:	Product info:
61-8209	Voltage:24V
132553	OAL: 187mm
IM3010	Splines: 9
28160-77090	F shaft: 17mm
	R shaft: 10mm
	OD: 60mm
	Slots: 23

NI-61011



Reference No.:	Product info:
61-8211	Voltage: 12V
136896	OAL: 128.5mm
IM3102	Splines:9
028200-6250	F shaft: 15mm
128000-700	R shaft: 8mm
	OD: 49.2mm
	Slots:21

NI-61014



Reference No.:	Product info:
61-8214	Voltage: 12V
137953	OAL: 118mm
028200-6260	Splines:8
	F shaft: mm
	R shaft: mm
	OD: 49.5mm
	Slots:

NI-61017



Reference No.:	Product info:
61-8217	Voltage: 12V
136884	OAL: 100.90mm
IM753	Splines:11
028200-5871	F shaft: mm
28160-70021	R shaft: mm
	OD: 45mm
	Slots:

NI-61018



Reference No.:

61-8218
28160-87208
28160-70050

Product info:

Voltage: 12V
OAL: 111mm
Splines:11
F shaft: 7mm
R shaft: 7mm
OD: mm
Slots:

NI-61500



Reference No.:

IM3080
137978
028200-5040
028200-7440
028200-6850
028200-1890

Product info:

Voltage: 12V
OAL: 167.50mm
Splines:19
F shaft: mm
R shaft: mm
OD: 54.2mm
Slots:

NI-61501



Reference No.:

IM3152
239078

Product info:

Voltage: 12V
OAL: 167.50mm
Splines:19
F shaft: mm
R shaft: mm
OD: 54.2mm
Slots:


Reference No.:

Product info:

Reference No.:

Product info:

VA-61016



Reference No.:

61-9416
IM540
134513
594019
594021
594526
NE782

Product info:

Voltage: 12V
OAL: 112mm
Splines:13
F shaft: mm
R shaft: mm
OD: 44.2mm
Slots:

VA-61017



Reference No.:

61-9417
139593
594176
594529
594531
NE865

Product info:

Voltage: 12V
OAL: 112mm
Splines: 8
F shaft: mm
R shaft: mm
OD: 44.3mm
Slots:

VA-61500



Reference No.:

594528
594530
IM3129
230250

Product info:

Voltage: 12V
OAL: 112mm
Splines:7
F shaft:6mm
R shaft:6mm
OD:44mm
Slots:

VA-61501

Reference No.:

IM3157
236611

Product info:

Voltage: 12V
OAL: 112mm
Splines:13
F shaft: mm
R shaft: mm
OD:44mm
Slots:

VA-61502

Reference No.:

IM3153

Product info:

Voltage: 12V

VA-61503



Reference No.:	Product info:
IM532	Voltage: 12V
134935	OAL: 325mm
074771	Splines:6
NE473	F shaft: mm
	R shaft: mm
	OD:76mm
	Slots:

VA-61504



Reference No.:	Product info:
IM505-2	Voltage: 12V
131069	OAL: 330mm
095425	Splines:12
NE040	F shaft: mm
	R shaft: mm
	OD:75.4mm
	Slots:

VA-61505



Reference No.:	Product info:
IM519	Voltage: 12V
101581	OAL: 188mm
102380	Splines:9
131813	F shaft: mm
NE053	R shaft: mm
NE620	OD:60mm
	Slots:

VA-61506



Reference No.:	Product info:
IM542	Voltage: 12V
135387	OAL: 141mm
182591	Splines:16
	F shaft: mm
	R shaft: mm
	OD:50mm
	Slots:

Reference No.:	Product info:

NS-61001




Reference No.:

61-8400
133850
10456466
28MT

Product info:

Voltage:12V
OAL: 177mm
Splines: 8
F shaft: 10mm
R shaft: 17mm
OD: 60mm
Slots: 23

NS-61002



Reference No.:

61-8401
10457622
10457117
IM3018

Product info:

Voltage:24V
OAL: 177mm
Splines: 8
F shaft: 10mm
R shaft: 17mm
OD: 60mm
Slots: 23

NS-61003



Reference No.:

61-8402

Product info:

Voltage: 24V
OAL: 255mm
Splines:15
F shaft: mm
R shaft: 18.9mm
OD: mm
Slots:

NS-61004



Reference No.:

61-8403

Product info:

Voltage: 24V
OAL: 433mm
Splines:15
F shaft: 18.9mm
R shaft: 18.9mm
OD: mm
Slots:

NS-61005



Reference No.:

61-8404
IM3051
23310-99207

Product info:

Voltage: 24V
OAL: 180.5mm
Splines:8
F shaft: 17mm
R shaft: 8mm
OD: 60mm
Slots:23

NS-61006



Reference No.:

61-8405
IM3030
132536
1231000120
7231000040
KDO-12300-0120

Product info:

Voltage: 24V
OAL: 219mm
Splines:9
F shaft: mm
R shaft: mm
OD: 74.4mm
Slots:

NS-61007



Reference No.:

61-8406

Product info:

Voltage: 24V
OAL: 213mm
Splines:9
F shaft: 24.5mm
R shaft: 10mm
OD: mm
Slots:

NS-61008



Reference No.:

61-8407
135667
IM3054
0231000230

Product info:

Voltage: 24V
OAL: 209.5mm
Splines:9
F shaft: mm
R shaft: mm
OD: 74.4mm
Slots:

NS-61009



Reference No.:

61-8408
IM3009
23310-99204
0231000161

Product info:

Voltage: 24V
OAL: 191mm
Splines:11
F shaft: 10mm
R shaft: 20mm
OD: 59.6mm
Slots:23

NS-61010



Reference No.:

61-9202
IM214
54258128

Product info:

Voltage: 12V
OAL: 303mm
Splines:3
F shaft: 17mm
R shaft: 12.6mm
OD: mm
Slots:

NS-61011



Reference No.:

61-9203
130200
IM218
54243590

Product info:

Voltage: 12V
OAL: 303.4mm
Splines:12
F shaft: mm
R shaft: mm
OD: 84mm
Slots:

NS-61012



Reference No.:

61-9204
130878
IM202
54243592

Product info:

Voltage: 12V
OAL: 329mm
Splines:12
F shaft: 16.97mm
R shaft: 12.65mm
OD: 84mm
Slots:21

NS-61013



Reference No.:

61-9205
133368
IM211
54268382
54292376

Product info:

Voltage: 12V
OAL: 302mm
Splines: 12
F shaft: 16.97mm
R shaft: 12.65mm
OD: 84mm
Slots:21

NS-61014



Reference No.:

61-9206
130202
IM222
IM231
54247379

Product info:

Voltage: 12V
OAL: 302mm
Splines:12
F shaft: 16.97mm
R shaft: 12.65mm
OD: 75mm
Slots:23

NS-61015



Reference No.:

IM221
130195
272334
271737
TIB115

Product info:

Voltage: 12V
OAL: 338mm
Splines:6
F shaft: mm
R shaft: mm
OD: 74.5mm
Slots:

NS-61016



Reference No.:
61-9301

Product info:
Voltage: 24V
OAL: 350mm
Splines:12
F shaft: 12.5mm
R shaft: 14mm
OD: mm
Slots:

NS-61017

Reference No.:
61-9302

Product info:
Voltage: V

NS-61018



Reference No.:
61-9303

Product info:
Voltage: 24V
OAL: 318mm
Splines:12
F shaft: 12.5mm
R shaft: 14mm
OD: mm
Slots:

NS-61019



Reference No.:
IM210
233740
54248981
TIB110

Product info:
Voltage: 12V
OAL: 306mm
Splines:12
F shaft: mm
R shaft: mm
OD: 74.4mm
Slots:

NS-61020



Reference No.:
IM212
130205
5425181
TIB113

Product info:
Voltage: 12V
OAL: 340mm
Splines:6
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

NS-61021



Reference No.:

IM215
130210
54257635
TJB106

Product info:

Voltage: 12V
OAL: 303mm
Splines:3
F shaft: mm
R shaft: mm
OD: 84mm
Slots:

NS-61022



Reference No.:

IM223
130211
54257650
TIB117

Product info:

Voltage: 12V
OAL: 240mm
Splines:12
F shaft: mm
R shaft: mm
OD: 74.6mm
Slots:

NS-61023



Reference No.:

IM224
131656
54247383
TIB109

Product info:

Voltage: 12V
OAL: 331mm
Splines:12
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

NS-61024



Reference No.:

IM226
131654
54251052
TIB112

Product info:

Voltage: 12V
OAL: 320mm
Splines:4
F shaft: mm
R shaft: mm
OD: 74.5mm
Slots:

NS-61025



Reference No.:

IM227
135869
54248690
TIB107

Product info:

Voltage: 12V
OAL: 302mm
Splines:12
F shaft: mm
R shaft: mm
OD: 74.5mm
Slots:

NS-61026



Reference No.:

69-9207
132401
IM230
54268555

Product info:

Voltage: 12V
OAL: 333mm
Splines:12
F shaft: mm
R shaft: mm
OD: 84mm
Slots:

NS-61027



Reference No.:

IM207
131652
54245090
54246259
54246290
THB101

Product info:

Voltage: 12V
OAL: 272.5mm
Splines:12
F shaft: mm
R shaft: mm
OD: 61mm
Slots:

NS-61028

Reference No.:

IM602
54292308
TGB126

Product info:

Voltage: 12V

NS-61029



Reference No.:

IM3125
235662
63280040
2873K404

Product info:

Voltage: 12V
OAL: 147mm
Splines:14
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

NS-61030




Reference No.:

IM200
132904
2004005003
2004005004
2007010059
2007010061

Product info:

Voltage: 24V
OAL: 428.5mm
Splines:19
F shaft: mm
R shaft: mm
OD: 85mm
Slots:

NS-61031



Reference No.:

IM92
131472
72163701
7984504

Product info:

Voltage: 12V
OAL: 292mm
Splines:12
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

NS-61032



Reference No.:

IM93
131470
72163201
79080373
7984630

Product info:

Voltage: 24V
OAL: 317mm
Splines:12
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

NS-61033



Reference No.:

IM94
133955
72162601
72169501

Product info:

Voltage: 12V
OAL: 317mm
Splines:12
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

NS-61034



Reference No.:

IM96
133030
72161601
8190403

Product info:

Voltage: 24V
OAL: 292mm
Splines:12
F shaft: mm
R shaft: mm
OD: 75mm
Slots:

NS-61035



Reference No.:

IM2000
132817
74894221
74899021

Product info:

Voltage: 12V
OAL: 134mm
Splines:11
F shaft: mm
R shaft: mm
OD: 59mm
Slots:

NS-61036



Reference No.:

IM3052
135703
7231000090

Product info:

Voltage: 12V
OAL: 180mm
Splines:8
F shaft: mm
R shaft: mm
OD: 60mm
Slots:

NS-61037



Reference No.:

IM3058
234104
0231000240

Product info:

Voltage: 12V
OAL: 194mm
Splines:8
F shaft: mm
R shaft: mm
OD: 60mm
Slots:

NS-61308



Reference No.:

IM3101
234102
0231000190
0231000191

Product info:

Voltage: 24V
OAL: 188mm
Splines:8
F shaft: mm
R shaft: mm
OD: 60mm
Slots:

NS-61039

Reference No.:

IM3132
7241000010

Product info:

Voltage: 24V

NS-61040

Reference No.:

IM3133
0241000030

Product info:

Voltage: 24V

NS-61041

Reference No.:

IM3048
0231000260
0231000261

Product info:

Voltage: 24V

NS-61042

Reference No.:

IM3076
132007700X0
132007701X0

Product info:

Voltage: 24V

NS-61043

Reference No.:

IM3077
132009800X0
132009801X0

Product info:

Voltage: 24V

NS-61044



Reference No.:

IM3134
235787
J08C
132012100X0

Product info:

Voltage: 24V
OAL: 164.5mm
Splines:9
F shaft: mm
R shaft: mm
OD: 54mm
Slots:

NS-61045



Reference No.:

IM3085
138964
132009700X0

Product info:

Voltage: 24V
OAL: 207mm
Splines:12
F shaft: mm
R shaft: mm
OD: 65mm
Slots:

NS-61046



Reference No.:

IM3118
136518
132005901X0

Product info:

Voltage: 24V
OAL: 215mm
Splines:14
F shaft: mm
R shaft: mm
OD: 65mm
Slots:

NS-61047

Reference No.:

4HF1

Product info:

Voltage: 24V
OAL: 215mm
Splines:14
F shaft: mm
R shaft: mm
OD: 65mm
Slots:

Reference No.:

Product info:

Reference No.:

Product info:

Reference No.:

Product info: