

BH-70001



Reference No.:


1275105104
1907107613
0272220704
04-121
F000BL0633
VR-B704

Product info:

B-Circuit, 14.5 V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
L Terminal Drives Choke
DFM Function
Self Exciting Function

BH-70002



Reference No.:


9RC7129C
04-113
JFZ1150-0100

Product info:

B-Circuit, 14.5 V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
L Terminal Drives Choke
DFM Function
Self Exciting Function

BH-70003



Reference No.:


IB231
IB680
F00M145231
F00M145680
VR-B252
139044
333255

Product info:

B-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:79mm
Soft Start
Field Short Circuit Protected
Under Voltage Indication
Over Voltage Indication

BH-70004



Reference No.:


1275200003
0272220703
0272220733
04-128

Product info:

B-Circuit, 14.5 V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function

BH-70005



Reference No.:

0272220706
0272220707
04-155

Product info:


B-Circuit, 14.5

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function

BH-70006

Reference No.: VR-B295
Product info: B-Circuit, 14.5

BH-70007




Reference No.: 0272220815
F00BL0732
0272220854
0272220856
Product info: B-Circuit, 14.3V
Product info: B-Circuit
Voltage Set Point 14.30 V
Soft Start 25 %, LRC 3 Sec
Self Exciting Function
LIN Regulator

BH-70008




Reference No.: F00M145330
04-131
13440600
Product info: B-Circuit, 14.7V
Product info: B-Circuit
Voltage Set Point 14.70 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function

BH-70009




Reference No.: 23100-3753A
13451100
Product info: B-Circuit, 14.5V
Product info: B -Circuit
Voltage Set Point 14.50 V
Soft Start 12.5 % LRC 5 sec
Field Shorted Circuit Protection
Over Voltage Indication

BH-70010



Reference No.: F00M346340
F00M346011
IB6011
24077
333277
04-089
Product info: B-Circuit, 14.5V
Product info: B-Circuit
Voltage Set Point 14.50 V
Soft Start 19 %, LRC 9 sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70011



Reference No.:


VR-B135
F00M346135
IB6135
23561
04-122
12317604782
0125711011

Product info:

B-Circuit, 14.3 V

A-Circuit
Voltage Set Point 14.30 V
Soft Start 20 %
LRC 3 sec
Self Exciting Function
BSS Regulator

BH-70012



Reference No.:

F00M145875
F00M145332
F00M145658
330189
IB875
04-114

Product info:

A-Circuit, 14.5 V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under/ Over Voltage Indication
L Terminal Drives Choke
DFM Function

BH-70013



Reference No.:

~~IB687~~
~~F00MA45219~~
F00M 145280
236714
04-147
VR-B280

Product info:

A-Circuit, 14.3 V

A-Circuit
Voltage Set Point 14.30 V
Soft Start 20 %
LRC 3 sec
Self Exciting Function
BSS Regulator

BH-70014



Reference No.:

VR-B394
F00M225200
F00M225201
235460
IB200
11074
13815
04-035

Product info:

A-Circuit, 14.6 V

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication

BH-70015



Reference No.:

F00M225201
F00M225401
235528
13975
22952
IB201
VR-B257
04-028

Product info:

A-Circuit, 14.5 V

BH-70016

| Reference No.: | Product info: |
|----------------|-------------------|
| VR-B255 | A-Circuit, 14.5 V |
| F00M145206 | |
| F00M145240 | |
| F00M145346 | |
| 139933 | |
| 333280 | |
| IB206 | |

BH-70017

| Reference No.: | Product info: |
|----------------|------------------|
| VR-B199-3A | B-Circuit, 14.3V |
| 9190087005 | |
| 233774 | |
| IB032 | |

BH-70018

| Reference No.: | Product info: |
|----------------|------------------|
| VR-B199-3 | B-Circuit, 28.3V |
| 0-192-033-001 | |
| 0-192-033-002 | |
| 130677 | |
| IB033 | |


BH-70019

| Reference No.: | Product info: |
|----------------|------------------|
| VR-B199-4 | B-Circuit, 28.3V |
| 0192033003 | |
| 130678 | |
| IB034 | |

BH-70020

| Reference No.: | Product info: |
|----------------|------------------|
| VR-B199-3A | B-Circuit, 14.3V |
| 9190087005 | |
| 233774 | |

BH-70021



Reference No.:
VR-B122B
F00M144122
IB5300

Product info:
A-Circuit, 28.5V


Voltage Set Point:28.50V
Regulation:A-Circuit
With Mounting:79mm
Soft Start
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

BH-70022

Reference No.:
VR-B269
F0026110376079
94250964
IB212

Product info:
A-Circuit, 14.3V

BH-70023



Reference No.:
VR-B222
1197311523
IB388
137183

Product info:
A-Circuit, 14.4V


Voltage Set Point:14.4V
Regulation:A-Circuit
Slip Ring OD:14mm
(1998 - 93) VW

BH-70024

Reference No.:
VR-B253
IB235
235537
F00M145215
F00M145235
F00M145329
F00M145672
F00M145675
F00MA45217
04-020

Product info:

BH-70025



Reference No.:
VR-B256
F00M145220
F00M145349
235548
230249
IB220
04-042

Product info:
A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.60V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM Function


BH-70026

Reference No.: **Product info:**

BH-70027


Reference No.: **Product info:**
VR-B372 A-Circuit, 14.7V
F00M144172
F00M145226
330088
333265
IB226

BH-70028



Reference No.: **Product info:**
VR-B265 A-Circuit, 14.7V
F00M145227
235856
IB227
04-133
A-Circuit
Voltage Set Point 14.70 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
L Terminal Drives Choke
DFM Function

BH-70029



Reference No.: **Product info:**
VR-B221 A-Circuit, 14.6V
VR-B369
F00M145208
F00M145229
F00M145351
23292
237627
IB229
04-026
A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70030

Reference No.: **Product info:**
VR-B221 A-Circuit, 14.4V
F00M145210
F00M145230
F00M145352
230994
333569
IB230

BH-70031



Reference No.:

VR-B252
F00M145231
F00M145201
F00M145370
139044
9201135
IB231
04-024

Product info:

A-Circuit, 14.6V


A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70032

Reference No.:

Product info:

BH-70033



Reference No.:


VR-B243
F00M145236
F00M145305
F00M145324
233587
333803
IB236
04-071

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32% LRC 5 sec
Field, Shorted Circuit Protection
Sense IG Open Indication
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM Function

BH-70034



Reference No.:


VR-B254
F00M145237
F00M145238
F00M145354
139925
333252
IB5225
IB225
04-022

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70035



Reference No.:

VR-B251
F00M145239
F00M145204
230624
333257
IB239
04-015

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70036



Reference No.:


VR-B259
F00M145241
F00M145073
F00M145224
IB241
04-134

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

BH-70037



Reference No.:

VR-B247
F00M145247
F00M145253
235156
235207
IB247
04-086

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70038

Reference No.:

VR-B264
F00M145248
F00M145538
233729
333259
IB248

Product info:

A-Circuit, 14.5V

BH-70039



Reference No.:


VR-B360
F00M145245
F00M145251
F00M145360
F00MA45236
235549
IB251
04-045

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM Function

BH-70040



Reference No.:

VR-B263
F00M145243
F00M145252
F00M145270
232193
333264
IB252
04-053

Product info:

B-Circuit, 14.5V

B-Circuit
Voltage Set Point 14.50V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM Function
Self Exciting Function

BH-70041


Reference No.:

VR-B262
F00M145255
F00M145361
233508
333258
IB255

Product info:

A-Circuit, 14.5V

BH-70042



Reference No.:

VR-B252
F00M145201
139044
5353552
IB257
04-024

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70043

Reference No.:

VR-B363
F00M145260
F00M145249
138044
333255
IB260

Product info:

A-Circuit, 14.3V

BH-70044


Reference No.:

VR-B296
F00M144153
F00M144154
070903803B
139925
IB261

Product info:

B-Circuit, 14.4V

BH-70045



Reference No.:

VR-B883
F00M145883
F00M145266
F00M145365
234771
333256
IB266
04-125

Product info:

A-Circuit, 14.2V

A-Circuit
Voltage Set Point 14.20 V
Soft Start 30%, LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70046



Reference No.:

VR-B270
F00M145286
F00M145394
234770
77362556
IB286
04-069

Product info:

A-Circuit, 14.5V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30% LRC 5 sec
Lamp Shorted Circuit Protection
Field Shorted Circuit Protection
Under/ Over Voltage Indication
L Terminal Drives Choke
DFM Function
Self Exciting Function

BH-70047



Reference No.:

VR-B268
F00M144103
F00M144119
F00M145246
233117
IB297
04-165

Product info:

B-Circuit, 28.5V

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Sense / IG Open Indication
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM Function

BH-70048



Reference No.:

VR-B396
F00M145256
F00M145298
F00M145302
F00M145307
0001542705
235703
333904
IB298
04-164

Product info:

B-Circuit, 28.5V

B-Circuit
Voltage Set Point 28.50V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70049

Reference No.:

VR-B861
F00M145861
F00M145340
235156
235207
IB861

Product info:

B-Circuit, 14.4V

BH-70050



Reference No.:

VR-B259
F00M144241
F00M145224
IB241
04-134

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

BH-70051



Reference No.:

VR-B160
F00M144160
F00M144109
332132
333273
IB160
04-129

Product info:

B-Circuit,
14.5V

B-Circuit
Voltage Set Point 14.50V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM Function
Self Exciting Function

BH-70052



Reference No.:

VR-B026
F00M346026
330331
IB6026
04-078

Product info:

B-Circuit,
14.5V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 19 % LRC 9 sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM Function

BH-70053



Reference No.:

VR-B021
F00M346037
F00M346008
F00M346021
330331
IB6037
04-145

Product info:

B-Circuit,
14.3V

B-Circuit
Voltage Set Point 14.30 V
Soft Start 25 %,LRC 3 sec
Self Exciting Function
LIN Regulator

BH-70054

Reference No.:

VR-B510
1197311510
139872
277000F900
IB510

Product info:

A-Circuit,
14.3V

BH-70055




Reference No.:

VR-B251
F00M145239
F00M145204
230624
333257
IB239
04-015

Product info:

A-Circuit
Voltage Set Point 14.60V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70056



Reference No.:

VR-B240H
1197311240
1197311512
1197311551
IB512
138108
333269

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.5V
Regulation:A-Circuit
Slip Ring OD:14mm

Peugeot 806 TD

BH-70057

Reference No.:

VR-B229
1197311520
1197311518
91289827
138109
IB520

Product info:

A-Circuit, 14.1V

BH-70058


Reference No.:

VR-B543B
1197311543
42532975
234112
IB543

Product info:

B-Circuit, 28.3V

BH-70059



Reference No.:

VR-B238
1197311506
1197311516
138999
IB545
04-025

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32%, LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70060

Reference No.:

VR-B238
1197311547
12311435432
IB547

Product info:

A-Circuit, 14.2V

BH-70061



Reference No.:

VR-B558B
1197311558
234522
IB558
04-027

Product info:

B-Circuit,
28.5V

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication

BH-70062



Reference No.:

VR-B250
9190041002
IB501
04-013

Product info:

A-Circuit,
14.5V

A-Circuit (Helmet Steel)
Voltage Set Point 14.50 V

BH-70063

Reference No.:

VR-B391
9190067016
9190067017
9190067019
136554
IB391

Product info:

A-Circuit,
14.4V

BH-70064

Reference No.:

VR-B392
9190067018
44-9143
136555
333274
IB392

Product info:

A-Circuit,
14.4V

BH-70065



Reference No.:

VR-B393
9191067043
9191067046
231237
IB343
04-124

Product info:

A-Circuit,
14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

BH-70066



Reference No.:

VR-B211
9121080303
0409038031
IB359
35-9127
04-083

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V

BH-70067



Reference No.:

VR-B196M
1197311003
1197311007
1324617
8194971
132980
IB354


Product info:

A-Circuit, 14.1V

Voltage Set Point:14.1V
Regulation:A-Circuit
Slip Ring OD:28mm
With 120 Ohm Resistor

(1995 - 73) Audi, Hyundai,
Mercedes, Mitsubishi,

BH-70068



Reference No.:


VR-B192
0192052001
0192052002
0192052004
133501
IB358
04-087ib

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Slip Ring OD: 32mm

BH-70069



Reference No.:

VR-B197
0192053001
0192053002
130592
694072
IB376

Product info:

A-Circuit, 27.5V

Voltage Set Point:27.50V
Regulation:A-Circuit
Slip Ring OD:32mm

BH-70070



Reference No.:

VR-B202L
132666
0192052033
1197311029
IB360

Product info:

A-Circuit, 14.2V

Voltage Set Point:14.10V
Regulation:A-Circuit
Slip Ring OD:28mm

35-9117, VR-B202, 14.7V

BH-70071



Reference No.:

IB369
VR-B260B
1197311310
1197311313
04-056

Product info:

A-Circuit, 28.1V

A-Circuit
Voltage Set Point 28.10 V
Slip Ring OD: 32mm

BH-70072



Reference No.:

VR-B209
1197311304
135856
IB363
IB264
IB380
04-001

Product info:

A-Circuit, 28.1V

A-Circuit (Metal Can)
Voltage Set Point 28.10V
Slip Ring OD: 28mm

BH-70073


Reference No.:

0192035020
1197311308
136545
333247
IB365

Product info:

A-Circuit, 28.5V

BH-70074



Reference No.:

VR-B194
9190087016
9190087019
IB378
130958
333254
04-157

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Slip Ring OD: 28mm

Mercedes Truck, John Deere,
Saad-Scania

BH-70075



Reference No.:

VR-B198
0192053005
0192053006
130960
79078923
IB397
04-158

Product info:

A-Circuit, 28.5V

A-Circuit
Voltage Set Point 28.50 V
Slip Ring OD: 28mm

BH-70076



Reference No.:


VR-B206
1197311315
0192053003
131340
333245
IB381
IB382
04-006

Product info:

A-Circuit, 28.5V

A-Circuit (Metal Can)
Voltage Set Point 28.50V
Slip Ring OD: 28mm

BH-70077



Reference No.:

VR-B218
9190457002
IB400
04-161

Product info:

A-Circuit, 28.8V

B-Circuit
Voltage Set Point 14.40 V

BH-70078



Reference No.:

VR-B200H
1197311212
1197311214
134687
35-9108
IB385
04-062

Product info:

A-Circuit, 14.5V

A-Circuit (Helmet Steel)
Voltage Set Point 14.50 V
Slip Ring OD:14mm

(2002 - 92) Audi, BMW,
Cadillac, Saab, VW, Volvo,
Winnebago

BH-70079

Reference No.:

VR-B219
0192053021
1197311319
137152
IB386

Product info:

A-Circuit, 28V

BH-70080



Reference No.:

VR-B201
1197311211
1197311213
134761
333260
35-9109
IB387
04-061
04-008

Product info:

A-Circuit, 14.6V

A-Circuit (Metal Can)
Voltage Set Point 14.60 V
With 180 Ohm Resistor
Slip Ring OD: 14mm

BH-70081



Reference No.:

VR-B190
0190062001
0190062002
130675
IB305

Product info:

B-Circuit,
14.2V

B-Circuit
Voltage Set Point 14.10 V

BH-70082

Reference No.:

0190601016
0190700004
130610
IB307

Product info:

B-Circuit,
28.3V

BH-70083

Reference No.:

VR-B213
9190457002
0040832
IB400

Product info:

A-Circuit,
14.5V

BH-70084

Reference No.:

VR-B212
9190457006

Product info:

B-Circuit,
14.3V

BH-70085

Reference No.:

VR-D001B
8393
8394
6N3821
131687
P8-393

Product info:

B-Circuit,
28.2V

BH-70086



Reference No.:

VR-IK01
11125165
16906481
231044
11201666
04-067

Product info:

A-Circuit, 14.5V

A-Circuit (Helmet Steel)
Voltage Set Point 14.60 V
Low Cut-in Speed
Slip Ring OD: 32mm

BH-70087



Reference No.:

IB352
130958
333254
35-9104
0192052015
11.125.094
1197311004
2197311005
1192052015
1192052016
04-084

Product info:

A-Circuit, 14.1V

Voltage Set Point:14.1V
Regulation:A-Circuit
Slip Ring OD:28mm

(1995 - 72) Audi, BMW, Chrysler,
Dodge, Plymouth,
Pontiac, Porsche, VW

BH-70088

Reference No.:

VR-IK15
11125209
AER1653
235509

Product info:

A-Circuit, 28.2V

BH-70089

Reference No.:

VR-IK02
231045
234935
236702
11125124
11125188
AER1603
AER1612

Product info:

A-Circuit, 14.5V

BH-70090



Reference No.:

VR-B195M
IB353
135797
1197311026
1197311027

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.5V
Regulation:A-Circuit
Slip Ring OD:28mm

(1998 - 72) Alfa Romeo, Audi,
BMW, Chrysler, Dodge,Fiat,
Jaguar, Merkur, Plymouth,
Pontiac, Porsche, VW

BH-70091



Reference No.:

VR-B196MH
IB355
132980
1197311008
133378
1324617
8194971

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.5V
Regulation:A-Circuit
Slip Ring OD:28mm
With 120 Ohm Resistor

(1995 - 73) Audi, Hyundai,
Mercedes, Mitsubishi, Peugeot,
Porsche, Saab, VW, Volvo

BH-70092

Reference No.:

VR-IK019
11125019
11125053
131811
AER1401
IK401

Product info:

A-Circuit, 14.6V

BH-70093

Reference No.:

VR-IK029
11125029
11125047
132857
AER1404
IK404

Product info:

A-Circuit, 28.0V

BH-70094

Reference No.:

VR-IK149
11125122
11201205
139513
AER1543
IK543

Product info:

A-Circuit, 14.4V

BH-70095

Reference No.:

F00M145680
IB680

Product info:

B-Circuit, 14.6V

BH-70096



Reference No.:
IB356
1197311018
1197311039
UCB413

Product info:
A-Circuit,14.8V

Voltage Set Point:14.8V
Regulation:A-Circuit
Slip Ring OD:28mm
With 120 Ohm Resistor

Citroen, Peugeot

BH-70097



Reference No.:
VR-B193ML
IB350
0192052001
10120110
119731100
1221152

Product info:
A-Circuit,14.1V

Voltage Set Point:14.1V
Regulation:A-Circuit
Slip Ring OD:32mm

BH-70098




Reference No.:
VR-B193M
IB351
133095

Product info:
A-Circuit,14.5V

Voltage Set Point:14.5V
Regulation:A-Circuit
Slip Ring OD:32mm
Same as IB350 but with
increased voltage set point

BH-70099



Reference No.:
VR-B203
IB362
132903
136435
1197311301
1197311305

Product info:
A-Circuit,28.0V

Voltage Set Point:28.0V
Regulation:A-Circuit
Slip Ring OD:28mm

BH-70100




Reference No.:
IB364
VR-B210
138756
1197311309

Product info:
A-Circuit,29.0V

Voltage Set Point:29.0V
Regulation:A-Circuit
Slip Ring OD:28mm

BH-70101




Reference No.:
IB368
VR-B260
1197311032

Product info:
A-Circuit,14.1V

Voltage Set Point:14.10V
Regulation:A-Circuit
Slip Ring OD:32mm

Same as IB360
But slip ring OD:32mm

BH-70102




Reference No.:
IB374
VR-B198
130960
0192053005

Product info:
A-Circuit,27.5V

Voltage Set Point:27.50V
Regulation:A-Circuit
Slip Ring OD:28mm

DAF, Fiat, Mercedes, Scania,
Volvo, Truck Application

BH-70103




Reference No.:
IB375
VR-B194
9190067001
9190067003

Product info:
A-Circuit,14.4V

Voltage Set Point:14.40V
Regulation:A-Circuit
Slip Ring OD:28mm

GM Vehicles in Australia+
South America with Bosch
Alternators

BH-70104




Reference No.:
IB379
VR-B198
130960
UCB404
9190087014
0192053005

Product info:
A-Circuit,28.3V

Voltage Set Point:28.30V
Regulation:A-Circuit
Slip Ring OD:28mm

Saab-Scania

BH-70105




Reference No.:
IB380
VR-B198
133781
0192053019

Product info:
A-Circuit,28.8V

Voltage Set Point:28.80V
Regulation:A-Circuit
Slip Ring OD:28mm

BH-70106




Reference No.:
F00M145292
F00M144108
VR-B132
IB-6132
237736
04-141

Product info:
A-Circuit,
14.3V

A-Circuit
Voltage Set Point 14.30 V
Soft Start 20 %
LRC 3 sec
Self Exciting Function
BSS Regulator

BH-70107



Reference No.:
F00M145371
F00M145283
231716
VR-B371
IB283
04-014

Product info:
A-Circuit,
14.6V

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %, LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

BH-70108



Reference No.:
F00M145314
F00M145328
F00M145696
F00M144191
IB696
VR-B314
04-146

Product info:
B-Circuit,
13.8V

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator

BH-70109



Reference No.:
F00MA45221
F00M145880
236455
VR-B880
IB262
04-107

Product info:

A-Circuit
Voltage Set Point 14.30 V
Soft Start 20 %
LRC 3 sec
Self Exciting Function
BSS Regulator

BH-70110



Reference No.:
333556
IB6179
F00M144197
F00M144151
13430500

Product info:

B-Circuit
Voltage Set Point 14.30 V
Soft Start 25 %, LRC 3 sec
Self Exciting Function
LIN Regulator

BH-70111



Reference No.:
11125204
11125165
04-096

Product info:

A-Circuit (Metal Can)
Voltage Set Point 14.60 V

BH-70112




Reference No.:
11125209
04-109

Product info:

A-Circuit (Metal Can)
Voltage Set Point 28.50 V

BH-70113



Reference No.:
F00M346066
11336
IB6066
04-142

Product info:

A-Circuit
Voltage Set Point 14.30 V
Soft Start 20 %
LRC 3 sec
Self Exciting Function
BSS Regulator

BH-70114




Reference No.:
F00M144136
F00M144154
139925
VR-B254
IB5225
04-0221

Product info:

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function
Self Exciting Function

BH-70115



Reference No.:
VR-B385
237270
IB293
F00M144147
F00M145272


Product info:

A-Circuit
Voltage Set Point 14.30 V
Soft Start 20%
LRC 3 sec
Self Exciting Function
BSS Regulator

BH-70116

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-B839 | |
| 0272220809 | |
| 0272220839 | |

BH-70117



| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| F00M145278 | |
| 0124525080 | |
| 13430210 | |

BH-70118



| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-B235 | |
| 138310 | |
| 333248 | |
| 1197311511 | |


BH-70119

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-B196MH | |

BH-70120

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-B208H | |

BH-70121



| Reference No.: | Product info: |
|----------------|---------------|
| F00M145289 | |
| 236002 | |
| IB5289 | |
| 13422530 | |

BH-70122

| Reference No.: | Product info: |
|----------------|---------------|
| VR-B242 | |
| IB276 | |
| 236717 | |
| 335023 | |
| F00M144181 | |
| F00M145276 | |
| F00M145368 | |
| F00MA45237 | |

BH-70123

| Reference No.: | Product info: |
|----------------|---------------|
| VR-B033 | |
| F00M346013 | |
| F00M346014 | |
| F00M346024 | |
| 333738 | |
| 335492 | |
| IB6024 | |


BH-70124

| Reference No.: | Product info: |
|----------------|---------------|
| VR-B057 | |
| IB6165 | |
| 333357 | |
| 333562 | |
| 333613 | |
| 335329 | |
| 0272220867 | |
| F00M346023 | |

BH-70125


| Reference No.: | Product info: |
|----------------|---------------|
| IB313 | |
| F00M144129 | |

DR-70001




| Reference No.: | Product info: | A-Circuit |
|----------------|------------------|---------------------------|
| 1116380 | A-Circuit, 14.6V | Voltage Set Point 14.60 V |
| 1116384 | | |
| 1116387 | | |
| 130668 | | |
| 35-101 | | |
| VR-D668 | | |
| 01-032 | | |
| D101HD | | |

DR-70002



| Reference No.: | Product info: | A-Circuit |
|----------------|------------------|----------------------------------|
| VR-D669 | A-Circuit, 14.1V | Voltage Set Point 14.10 V |
| 1116360 | | Field Shorted Circuit Protection |
| 1116390 | | |
| 1116407 | | |
| D21 | | Delco 21SL,others |
| D33 | | |
| 35-126 | | |
| 01-010 | | |

DR-70003



| Reference No.: | Product info: | A-Circuit |
|----------------|------------------|-----------|
| VR-D672C | A-Circuit, 27.5V | |
| 1116388 | | |
| 1116404 | | |
| 130510 | | |
| D30-1 | | |
| D102HD | | |
| D104HD | | |

DR-70004

| Reference No.: | Product info: | D102HD |
|----------------|------------------|--------|
| VR-D686 | A-Circuit, 14.1V | |
| 1116389 | | |
| 1116406 | | |
| 1116407 | | |
| 1894489 | | |
| D669 | | |
| D672 | | |

DR-70005

| Reference No.: | Product info: | A-Circuit |
|----------------|------------------|-----------|
| VR-D696B | A-Circuit, 27.5V | |
| 1116388 | | |
| 1116404 | | |
| 1116405 | | |
| 1894460 | | |
| 1987518 | | |
| D104HD | | |


DR-70006

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-D670C | A-Circuit, 14.75V |
| 7934604 | |
| 7934605 | |
| 130664 | |
| DE604 | |

DR-70007

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-D674 | A-Circuit, 14.7V |
| 3493029 | |
| 3493030 | |
| 132929 | |
| DE605 | |

DR-70008



| | | |
|-----------------------|----------------------|--|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 14.60 V |
| VR-D690 | A-Circuit, 14.75V | |
| 94648534 | | |
| D673 | | |
| DE608 | | |
| 35-153 | | |
| 01-027 | | |

DR-70009

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-D671C | A-Circuit, 14.75V |
| 21226043 | |
| 94648534 | |
| 940038033 | |
| UCB72 | |
| DE609 | |

DR-70010



| | | |
|-----------------------|----------------------|---|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 14.80 V |
| DE701 | A-Circuit, 14.8V | |
| VR-D701 | | Opel Corsa, Omega, Vectra, Astra, Fontera, Tigra |
| 35-152 | | |
| 10475019 | | |
| 19009701 | | |
| 10479914 | | |
| 01-004 | | |

DR-70011



Reference No.:

DE708
VR-D711
231796
233596
10493240
19009708
01-031

Product info:

B-Circuit, 14.7V

Voltage Set Point:14.70V
Regulation:B-Circuit
Soft Start
LRC 5 Sec
Field Short Circuit Protected
Under Voltage Indication
Over Voltage Indication

DR-70012

Reference No.:

VR-D231
10453673
10453673
232664
D198XHD

Product info:

B-Circuit, 15.1V

DR-70013



Reference No.:

VR-D232
10480200
10458201
D200HD
D200
35-126

Product info:

B-Circuit, 14.7V

B-Circuit
Voltage Set Point 14.70 V
Soft Start 30% LRC 5 sec
Field Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

DR-70014

Reference No.:

VR-D747HD
10494747
232665
D201XHD

Product info:

B-Circuit, 14.8V

DR-70015

Reference No.:

VR-D233
10454669
10458202
15163024
15163025
D202XHD


Product info:

B-Circuit, 14.2V

DR-70016

| Reference No.: | Product info: |
|----------------|------------------|
| 273110 | A-Circuit, 27.7V |
| 273310 | |
| 138387 | |
| D401 | |

DR-70017



| Reference No.: | Product info: | A-Circuit Voltage Set Point 14.60 V |
|----------------|------------------|--|
| VR-D276 | A-Circuit, 14.6V | |
| 276010 | | |
| 139467 | | |
| D403 | | |
| 01-001 | | |

DR-70018



| Reference No.: | Product info: | Voltage Set Point:14.70V Regulation:B-Circuit LRC 2.5 sec Soft Start Digital Circuit GM Vehicles |
|----------------|-----------------|---|
| D408 | B-Circuit,14.7V | |
| VR-D675H | | |
| 131904 | | |
| 01-031 | | |

DR-70019



| Reference No.: | Product info: | Voltage Set Point:14.70V Regulation:B-Circuit Soft Start LRC 5 sec Field Short Circuit Protected Under Voltage Indication Over Voltage Indication |
|----------------|-----------------|---|
| D411HD | B-Circuit,14.7V | |
| VR-D694HD | | |
| 131905 | | |
| 1116411 | | |
| 1116429 | | |
| 1116436 | | |
| 1116437 | | |
| D677 | | |
| D685 | | |
| D698 | | |
| 01-013 | | |

DR-70020

| Reference No.: | Product info: |
|----------------|------------------|
| VR-D424 | B-Circuit, 14.7V |
| 1116424 | |
| 940038037 | |
| 134343 | |
| D424 | |

DR-70021



Reference No.:

VR-D432
1116432
133589
D432
01-033

Product info:

B-Circuit, 14.5V

B-Circuit
Voltage Set Point 14. 50 V
Soft Start 32% Field, Shorted
Circuit Protection
Under Voltage Indication
Over Voltage Indication

DR-70022

Reference No.:

VR-D755
07C12A0887
10517755
D3587

Product info:

B-Circuit, 13.8V

DR-70023

Reference No.:

VR-D4474
10514474
10516505
10526697
331013
D4152

Product info:

B-Circuit, 14.3V

DR-70024

Reference No.:

VR-D4476
10514476
10521828
D4476

Product info:

B-Circuit, 28.0V

DR-70025


Reference No.:

VR-D702H
19009702
19009710
19007719
702
135547
D702

Product info:

B-Circuit, 14.75V

DR-70026



Reference No.:

VR-D705H
19009705
231184
D705
D729
35-137
01-007

Product info:

B-Circuit, 14.7V

B-Circuit
Voltage Set Point 14.70 V
Soft Start 30% LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function

DR-70027

Reference No.:

10498812
1892812
131901
D812HD

Product info:

A-Circuit, 14.2V

DR-70028

Reference No.:

10498824
1892824
D693
131903
D824HD

Product info:

A-Circuit, 27.5V

DR-70029

Reference No.:

VR-D740
271940
VRG46944
233975
D940

Product info:

A-Circuit, 14.3V

DR-70030



Reference No.:

VR-D271
271910
139468
D910
01-037

Product info:

A-Circuit, 14.55V

A-Circuit
Voltage Set Point 14.55 V

DR-70031

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| 93740797 | A-Circuit, 14.4V |
| DAMAS 2 | |
| MH14J17 | |

DR-70032

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-D720 | B-Circuit, 14.2V |
| 8600307 | |
| 8600311 | |
| 8600313 | |
| 8600314 | |
| D1332 | |


DR-70033

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-Y002 | A-Circuit, 14.7V |
| 00512 | |
| JFZ1621-530 | |
| D1621 | |

DR-70034

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-DU511 | A-Circuit, 14.5V |
| 21220353 | |
| 7701024524 | |
| 131222 | |
| ID1010 | |

DR-70035



| | |
|-----------------------|----------------------------------|
| Reference No.: | Product info: |
| 19020407 | B-Circuit |
| 407 | Voltage Set Point 14.20 V |
| D907 | Soft Start 30 % |
| | Field Shorted Circuit Protection |
| | Under Voltage Indication |
| | Over Voltage Indication |
| | DFM Function |
| | Self Exciting Function |

DR-70036

| Reference No.: | Product info: |
|-----------------|------------------|
| VR-DU510 | B-Circuit, 14.3V |
| 9190110031 | |
| 5761.23 5761.24 | |
| D4009 | |

DR-70037

| Reference No.: | Product info: |
|----------------|------------------|
| 8366 8379 | B-Circuit, 14.3V |
| 5490702 | |
| D8366 | |

DR-70038

| Reference No.: | Product info: |
|----------------|------------------|
| VR-D712 | B-Circuit, 14.7V |
| 19009715 | |
| 232074 | |
| 19009758 | |
| D9715 | |

DR-70039

| Reference No.: | Product info: |
|----------------|------------------|
| VR-D840 | A-Circuit, 14.4V |
| 271840 | |
| 8470 | |
| D840 | |

DR-70040

| Reference No.: | Product info: |
|----------------|------------------|
| VR-D850 | A-Circuit, 14.4V |
| 271850 | |
| 19020704 | |
| 19020707 | |
| 8471 | |
| D850 | |

DR-70041

| Reference No.: | Product info: |
|----------------|------------------|
| 3470000 | B-Circuit, 14.5V |
| 96991181 | |
| AD221 | |
| D2020 | |

DR-70042



| Reference No.: | Product info: | |
|----------------|-------------------|-------------------------------|
| 13579666 | B-Circuit, 14.45V | B-Circuit |
| 20079 | | RVC=0 Vset=13.80V |
| D2022 | | RC=70% Vset=14.45V |
| 01-065 | | Soft Start 18.75%,LRC 2.5 sec |
| | | L Terminal Drives Choke |
| | | DFM function |
| | | RVC Regulator |

DR-70043



| Reference No.: | Product info: | |
|----------------|-------------------|-------------------------------|
| 20587 | B-Circuit, 14.45V | B-Circuit |
| 13500187 | | RVC=0 Vset=13.80V |
| 13579675 | | RC=70% Vset=14.45V |
| 1202118 | | Soft Start 18.75% LRC 2.5 sec |
| 13500187 | | DFM function |
| 13579675 | | RVC Regulator |
| D2023 | | |

DR-70044

| Reference No.: | Product info: |
|----------------|------------------|
| 13579662 | B-Circuit, 14.5V |
| 114726 | |
| D2024 | |

DR-70045

| Reference No.: | Product info: |
|----------------|------------------|
| VR-D715 | A-Circuit, 14.5V |
| 96408588 | |
| 96540542 | |
| 96838439 | |

DR-70046

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-D718 | B-Circuit, 14.4V |
| 96540542 | |
| 93744610 | |
| 93744561 | |
| 220006 | |

DR-70047

| | | |
|-----------------------|----------------------|---------|
| Reference No.: | Product info: | 6954112 |
| VR-D716 | A-Circuit, 14.5V | 8055 |
| 93740810 | | D2206A |
| 93740756 | | |
| D2262 | | |
| 8483A | | |

DR-70048




| | | |
|-----------------------|----------------------|----------------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-D717 | A-Circuit, 14.5V | Voltage Set Point 14.50 V |
| D2206 | | Soft Start 30% LRC 5 sec |
| 8484 | | Field Shorted Circuit Protection |
| 01-021 | | Under Voltage Indication |
| | | Over Voltage Indication |

DR-70049




| | | |
|-----------------------|----------------------|-------------------------------|
| Reference No.: | Product info: | Voltage Set Point:14.50V |
| D200XHD | B-Circuit,14.5V | Regulation:B-Circuit |
| 10494747 | | Soft Start LRC 5 sec |
| 8238 | | Field Short Circuit Protected |
| | | Under Voltage Indication |
| | | Over Voltage Indication |

DR-70050



| | | |
|-----------------------|----------------------|----------------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-D502 | A-Circuit, 14.5V | Voltage Set Point 14.50 V |
| 220116 | | Soft Start 18% |
| 66215-43006 | | Field Shorted Circuit Protection |
| 66415-40102 | | Under Voltage Indication |
| G4D14 | | Over Voltage Indication |
| LG1750 | | |
| 1313CV00 | | |

DR-70051



Reference No.:

19020204
19020207
19020208
220198
8720
8721
D2198
3501-111
01-023


Product info:

A-Circuit, 14.3V

A-Circuit
Voltage Set Point 14.30 V

11SI

DR-70052



Reference No.:

8600210
8688
01-048

Product info:

A-Circuit, 28.3V

A-Circuit
Voltage Set Point 28.30 V

DR-70053

Reference No.:

220295
8600002
RA097009
D2295

Product info:

A-Circuit, 14.7V

DR-70054

Reference No.:

VR-D579H
10503579
15263859
D3579

Product info:

B-Circuit, 14.7V


DR-70055

Reference No.:

10487805
5301
DT22
33-108

Product info:

DR-70056



Reference No.:

VR-D744
10480403
10480407
113771
236563
DE1650
01-061

Product info:

B-Circuit, 14.8V

B-Circuit
Voltage Set Point 14.80 V
Soft Start 18.75 %,LRC 10 Sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM Function

DR-70057

Reference No.:

VR-D1033
10521033
235803
D1033

Product info:

B-Circuit, 14.2V

DR-70058



Reference No.:

10514591
01-069
13111000

Product info:

B-Circuit, 28.5V

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field Shorted Circuit Protection
S IG Open Indication
Under Voltage Indication
Over Voltage Indication

DR-70059



Reference No.:

01-051
13140300
331774

Product info:

B-Circuit, 14.5

B-Circuit
Voltage Set Point 14.50 V
Soft Start 20 % LRC 5 sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM function

DR-70060



Reference No.:

D412
131906
1116412
1116432
D678
D684


Product info:

B-Circuit, 14.0V

Voltage Set Point:14.0V
Regulation:B-Circuit

Buick Riviera,Cadillac Allante,
Oldsmobile Aurora

DR-70061



Reference No.:

D425
VR-D683H
133581


Product info:

B-Circuit,14.1V

Voltage Set Point:14.10V
Regulation:B-Circuit

Delco CS144 Alternators,RV,
Industrial

DR-70062



Reference No.:

D445
VR-D445
133582
1116413
1116445


Product info:

B-Circuit,14.7V

VoltageSet Point:14.70V
Regulation:B-Circuit

Soft Start
LRC 5 sec
Field Short Circuit Protected
Under Voltage Indication
DFM Function

DR-70063



Reference No.:

2502-600C
01-038
13130700

Product info:

A-Circuit, 28.45V

A-Circuit
Voltage Set Point 28.45V

DR-70064

Reference No.:

VR-K06B

Product info:

A-Circuit, 28.4V

A500008Z

3G24

DEC504


3051

A124041

A134153

65.25601-0002

DR-70065



Reference No.:

D22
VR-D686
139637


Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
Web Can Be Cut To Reset
Voltage
Stud Type,1Wire System

Delco 21SL,others

DR-70066



Reference No.:

001500850
10480403
VR-D745
DE1750
235542
01-055

Product info:

B-Circuit, 14.8V

B-Circuit
Voltage Set Point 14.80 V
Soft Start 18.75 %,LRC 10 Sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
L Terminal Drives Choke
DFM Function

DR-70067

Reference No.:

Product info:

A-Circuit, 14.5V

DR-70068



Reference No.:

01-050
13140200

Product info:

B-Circuit, 14.5V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 20 %
LRC 5 sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
DFM function

DR-70069

Reference No.:

Product info:

A-Circuit, 14.5V

DR-70070

Reference No.:

Product info:

A-Circuit, 14.5V

DR-70071

Reference No.:

Product info:

A-Circuit, 14.5V

DR-70072

Reference No.:

Product info:

A-Circuit, 14.5V

DR-70073

Reference No.:

0073-0033

Product info:

A-Circuit, 14.5V

DR-70074

Reference No.:

18098

Product info:

A-Circuit, 14.5V

DR-70075

Reference No.:

BYD483Q

Product info:

B-Circuit, 28.2V

DR-70076

Reference No.:
GNR-8039

Product info:
A-Circuit, 14.6V

DR-70077

Reference No.:
GNR-8170

Product info:
A-Circuit, 14.5V

DR-70078

Reference No.:
GNR-8171

Product info:
A-Circuit, 14.5V

DR-70079

Reference No.:

Product info:
B-Circuit, 14.5V

DR-70080

Reference No.:

Product info:


FD-70001

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-F540 | B-Circuit, 14.3V |
| D4TZ-10316A | |
| D9PF10316AA | |
| 130506 | |
| E2AF10316AA | |
| F540 | |

FD-70002


| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-F540HD | B-Circuit, 14.3V |
| E2PF10316BA | |
| E2TF10316AA | |
| VR508 | |
| F540E | |

FD-70003




| | | |
|-----------------------|----------------------|----------------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-F900 | A-Circuit, 14.4V | Voltage Set Point 14.45 V |
| F8WU-10C359-AB | | Soft Start 30 % |
| 230065 | | Field Shorted Circuit Protection |
| F600 | | Under Voltage Indication |
| 35-212 | | Over Voltage Indication |
| 02-003 | | Gray with Gray Cover |

FD-70004




| | | |
|-----------------------|----------------------|-----------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-F910 | A-Circuit, 14.1V | RC=0 Vs=13.50V |
| XW4U-10C359-AB | | RC=55% Vs=14.25V |
| 233232 | | White with Blue Cover |
| F601 | | PCM Regulator |
| 35-2135 | | |
| 02-011 | | |

FD-70005



| | | |
|-----------------------|----------------------|--|
| Reference No.: | Product info: | A-Circuit |
| VR-F920 | A-Circuit, 14.4V | Voltage Set Point 14.30 V |
| XR2U-10C359-AB | | Soft Start 30 % , LRC 5 sec |
| F602 | | Field, Lamp Shorted Circuit Protection |
| 35-216 | | Sense Loss Indication |
| 02-016 | | Under / Over Voltage Indication |
| | | DFM function |
| | | White with White Cover |

FD-70006



Reference No.:


VR-F930
XS7U-10C359-BA
233775
F603
35-214
02-004

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.45 V
Soft Start 30 % , LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
White with Orange Cover

FD-70007



Reference No.:


VR-F931
VP4L1U-10C359-AA
F606
02-017

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Sense Loss Indication
Under Voltage Indication
Over Voltage Indication
DFM function
Black with Black Cover

FD-70008



Reference No.:

VR-VN002
2S6T-10300FA
113883
3N21-10300BB
F610
02-013

Product info:

A-Circuit, 14.3V

A-Circuit
Voltage Set Point 14.30 V
Soft Start 30 %
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

FD-70009



Reference No.:


VR-VN001
235601
F611
02-012

Product info:

A-Circuit, 14.0V

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator

FD-70010



Reference No.:


VR-F784H
F784HD
E43F-10316AA
E73F-10316-AB
02-014

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.50 V

FD-70011



Reference No.:

VR-F818
F5RZ-10316-AGR
35-209
138185
F786
02-009

Product info:

A-Circuit, 14.45V

A-Circuit
Voltage Set Point 14.45V
Soft Start 30 %,LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

FD-70012



Reference No.:

VR-F786
EIDU-10316-A
E9DF-10316-AA
136230
232414
F794
35-204
02-0021


Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

Ford 3G Series IR/ER Alternators
Automobiles: 2005-89 Ford/
Lincoln/Mercury/Mazda

FD-70013



Reference No.:

VR-F815
F50U-10316-A
138663
35-208
F796
02-005

Product info:

A-Circuit, 14.45V

A-Circuit
Voltage Set Point 14.45 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

(2005 - 95) Ford, Lincoln,
Mercury

FD-70014



Reference No.:

VR-F822
YF1U-10C359-AA
F797
02-018

Product info:

A-Circuit, 14.25 V

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator

FD-70015



Reference No.:

VR-F817
F6DU-10C359-AA
230066
F798
35-210
02-006


Product info:

A-Circuit, 14.45 V

A-Circuit
Voltage Set Point 14.45 V
Field Shorted Circuit Protection
Over Voltage Indication

(2002 - 96) Ford, Lincoln,
Mercury

FD-70016



Reference No.:


VR-F811
F3A-10316-A
GR811
135854
F785
35-206
02-008

Product info:

A-Circuit, 14.45V

A-Circuit
Voltage Set Point 14.45 V
Field Shorted Circuit Protection
Over Voltage Indication

FD-70017



Reference No.:

VR-F900
F600
230065
F8WU-10C359-AB
35-212


Product info:

A-Circuit, 14.40V

Voltage Set Point:14.40V
Regulation:A-Circuit
Soft Start
Field Short Circuit Protected
Under Voltage Indication
Over Voltage Indication

Ford 6G Series IR/ER Alternators
Automobiles: 2005-98 Ford/
Mercury/Lincoln

FD-70018



Reference No.:

F605
VR-F901
VP3C3U10C359AA


Product info:

A-Circuit, 14.40V

Voltage Set Point:14.40V
Regulation:A-Circuit
Field Short Circuit Protected
Under Voltage Indication
Over Voltage Indication

Ford Alternators
Automobiles: 2005-98 FORD

FD-70019



Reference No.:

VR-F814
F795
35-207-4
232415
GR-814
F4ZZ-10316-A


Product info:

A-Circuit, 14.60V

Voltage Set Point:14.6V
Regulation:A-Circuit
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
"ISA" Terminals

Ford 3G Series IR/IF Alternators
(2005 - 89) Ford, Ford Truck,
Lincoln, Mazda, Mercury

FD-70020



Reference No.:

F784
F613
E43F10316AA
E42Z10316A
GR784B

Product info:

FD-70021



Reference No.:

VR-F121T
54209305
58120056
136457
IX127
07-021

Product info:

A-Circuit
Voltage Set Point 14.60 V
Soft Start 32 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
With Trio Diode Application

FD-70022

Reference No.:

VR-F756
126600-756A

Product info:

FD-70023

Reference No.:

VR-F158
85562731
85562881
IX599
236579

Product info:

FD-70024

Reference No.:


Product info:

FD-70025

Reference No.:

Product info:

HH-70001



Reference No.:

VR-H2000-31
L135N13151
L150-13152
130834
35-8100
IH201
05-030

Product info:

A-Circuit, 14.7 V

A-Circuit
Voltage Set Point 14.70 V

HH-70002

Reference No.:

L160-13151
23100-P3006
IH202

Product info:

A-Circuit, 14.3V

HH-70003

Reference No.:

VR-H2000-37
L150-43151
23133-D0200
130832
IH203

Product info:

A-Circuit, 14.3V

HH-70004



Reference No.:

IH204
14648
14649
14731
05-027

Product info:

A-Circuit, 14.7 V

A-Circuit
Voltage Set Point 14.70 V
Fit Units: LR140-112 LR140-131

Without wire plug
HH-70004A (05-034)

HH-70005



Reference No.:

VR-H2000-30
L150-93155
L160-23153
133543
137189
IH205
~~05-013~~ 05-007

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.60 V

HH-70006




Reference No.:
05-046
13522100

Product info:
A-Circuit, 14.7V

A-Circuit
Voltage Set Point 14.70 V
With Capacitor

HH-70007




Reference No.:
VR-H2000-36
L150-73154
132432
LR140-406
LR140-410F
05-028

Product info:
A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.70 V

HH-70008




Reference No.:
VR-H2000-1
TR1Z-27
TR1Z-33
130834
IH210
05-066

Product info:
A-Circuit, 14.7V

A-Circuit
Voltage Set Point 14.70 V

HH-70009



Reference No.:
VR-H2000-3
L150-23155
TR1Z-43
131287
136284
IH212
35-8108
05-021

Product info:
A-Circuit, 14.3V

A-Circuit
Voltage Set Point 14.70 V

HH-70010

Reference No.:
VR-H2000-22
TR1Z-46
8-94223-967-0
IH214

Product info:
A-Circuit, 14.5V

HH-70011

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2000-2B | A-Circuit, 14.2 V |
| L135-13152 | |
| TR1Z-44 | |
| 132434 | |
| IH215 | |

HH-70012

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2000-6H | A-Circuit, 14.5 V |
| L170-1315 | |
| 233133-04P01 | |
| 132434 | |
| IH237 | |

HH-70013

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2000-4H | A-Circuit, 14.5 V |
| GD310547B | |
| L180-3315 | |
| 23133-16E05 | |

HH-70014

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2000-7H | A-Circuit, 14.5 V |
| L180-7315 | |
| 132993 | |
| 23133-26E60 | |
| IH239 | |

HH-70015

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2000-13 | A-Circuit, 14.5 V |
| L170-3615 | |
| IH240 | |

HH-70016**Reference No.:**VR-H2000-5H
L165-43154
2313358S00
132991
L170-13151
IH242**Product info:**

A-Circuit, 14.3 V

HH-70017**Reference No.:**VR-H2000-10
L165-2315
23733-AA000
IH243**Product info:**

A-Circuit, 14.5V

HH-70018**Reference No.:**VR-H2000-9
8-94462-849-0
IH244**Product info:**

A-Circuit, 14.5V

HH-70019**Reference No.:**VR-H2000-11
GD312602A
L170-43151
133529
2313377A00
IH245**Product info:**

A-Circuit, 14.5V

HH-70020**Reference No.:**VR-H2000-19
L160-5315
23733-AA010
IH246**Product info:**

A-Circuit, 14.5V

HH-70021


Reference No.:

VR-H2000-15
L17023152
GD211509A
135024
23815-AA010
IH247

Product info:

A-Circuit, 14.5V

HH-70022



Reference No.:

VR-H2000-17
LR180-8315
23215-64J00
135158
IH248
35-8116
05-110

Product info:

A-Circuit, 14.3V

A-Circuit
Voltage Set Point 14.30 V

HH-70023

Reference No.:

VR-H2000-20
L190-4315
135158
23133-F6500
IH249

Product info:

A-Circuit, 14.5V

HH-70024

Reference No.:

VR-H2000-21
L170-3315
133185
23133-13E00
IH250

Product info:

A-Circuit, 14.5V

HH-70025



Reference No.:

VR-H2000-24
L150-711
LR150-725
8-97074-937-0
IH251
232442
35-8125
05-101

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

HH-70026



Reference No.:
VR-H2000-29
L150-33155
8-94167-410-0
133544
IH252
05-010

Product info:
A-Circuit,
14.7V

A-Circuit
Voltage Set Point 14.70 V

Hino, Isuzu Truck

HH-70027



Reference No.:
VR-H2000-29B
L225-8315
233893
IH253V
05-012

Product info:
A-Circuit,
28.4V

A-Circuit
Voltage Set Point 28.40 V

Without Capacitor
HH-70027A (05-044)

HH-70028



Reference No.:
VR-H2000-40
L170G-1315
137841
IH254V
05-011

Product info:
A-Circuit,
14.7V

A-Circuit
Voltage Set Point 14.70 V

Without Capacitor
HH-70028A (05-056)

HH-70029

Reference No.:
IH748

Product info:

HH-70030



Reference No.:
L180G-2315
137584
8970626490
05-024
13526500

Product info:
A-Circuit,
14.7V

A-Circuit
Voltage Set Point 14.70V

HH-70031

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| L140-708 | A-Circuit, 14.5V |
| 140708 | |
| 31105-MN5-005 | |
| IH258 | |

HH-70032



| | | |
|-----------------------|----------------------|----------------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2000-64 | A-Circuit, 14.5V | Voltage Set Point 14.50 V |
| 1204434 | | Soft Start 30 % |
| 13117236 | | Field Shorted Circuit Protection |
| 238691 | | Under Voltage Indication |
| IH669 | | Over Voltage Indication |
| 05-053 | | |

HH-70033

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| L1120-701 | A-Circuit, 14.5V |
| 028-903-029G | |
| IH701 | |

HH-70034


| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2000-2B | A-Circuit, 28.5V |
| TR2Z-47 | |
| 5812510160 | |
| 135026 | |
| IH707 | |

HH-70035




| | | |
|-----------------------|----------------------|--------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2001-3 | A-Circuit, 28.1V | Voltage Set Point 28.10V |
| 27700-1370 | | |
| 27700-1510 | | |
| 133516 | | |
| IH708 | | |
| 05-060 | | |

HH-70036



| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-K05 | A-Circuit, 14.5V |
| 021319110 | |
| 3737027011 | |
| IH711 | |
| 113328 | |

HH-70037




| | | |
|-----------------------|----------------------|---|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 28.40 V |
| VR-H2000-2 | A-Circuit, 28.4V | |
| TR2Z-37 | | |
| TR2Z-49 | | Industrial Lift TrucksIndustrial Lift Trucks |
| 132292 | | |
| 35-8139 | | |
| IH716 | | |
| 05-022 | | |

HH-70038




| | | |
|-----------------------|----------------------|---|
| Reference No.: | Product info: | Heavy duty version of IH212 Voltage Set Point:14.30V Regulation:A-Circuit |
| VR-H-2000-3 | A-Circuit, 14.3V | |
| TR1Z-46 | | |
| 8942239670 | | (1987 - 81) Chevrolet, Hino, Isuzu, Isuzu Truck, Nissan, Pontiac |
| 8-94223-9670 | | |
| IH717 | | |
| 35-8101 | | |

HH-70039



| | | |
|-----------------------|----------------------|--|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 14.40 V Soft Start 30 % LRC 10 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication |
| VR-H2000-45 | A-Circuit, 14.4V | |
| LR180-769 | | |
| 13937 | | |
| IH737 | | |
| 05-112 | | |

HH-70040



| | | |
|-----------------------|----------------------|--|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 14.40 V Soft Start 30 % Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication |
| VR-H2000-44 | A-Circuit, 14.4V | |
| L190G-7340 | | |
| 23215-5V10 | | |
| 234612 | | |
| IH738 | | |
| 05-001 | | |

HH-70041



Reference No.:
05-043
13501500

Product info:
A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

HH-70042



Reference No.:
05-037
LR250-517

Product info:
A-Circuit, 28.4V

A-Circuit
Voltage Set Point 28.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

HH-70043



Reference No.:
VR-H2000-71
05-042
13501400
LR160-503
8972458502
LR1110-501

Product info:
A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under/ Over Voltage Indication
Without Sense Open Indication

HH-70044



Reference No.:
VR-H2000-70B
LR280-508
8972489141
05-016
LR280-501
LR280-506

Product info:
A-Circuit, 28.4V

A-Circuit
Voltage Set Point 28.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under/ Over Voltage Indication

HH-70045




Reference No.:
VR-H2000-73
LR1110-724
LR1110-725
IH741
05-096

Product info:
A-Circuit, 14.3V

A-Circuit
Voltage Set Point 14.30 V
Soft Start 26 %
LRC 4 sec
V set of "C" is controlled by duty cycle

HH-70046



Reference No.:


VR-H2000-63
LR190-742
13829
IH742
05-041

Product info:

A-Circuit, 14.3V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function

HH-70047



Reference No.:

VR-H2000-62
L190-744
L180G-63401
L185G-5340
235438
8-97204-332-0
IH744
LR1100-705E
LR1100-710
05-054

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

HH-70048


Reference No.:

VR-H2000-88
L80G-63401L
190G-8340
23215-0V000
IH745

Product info:

A-Circuit, 14.4V

HH-70049



Reference No.:

VR-H2000-51
13788
LR170-758
BP4W-18-300B
IH758
05-109

Product info:

A-Circuit, 14.4V

PD Regulator

HH-70050



Reference No.:

VR-H2000-14
L170-738
23100-50Y06
L170-33152
135027
35-8119
IH760
05-097

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V

HH-70051



Reference No.:


VR-H2000-16
LR180G-2340
23215-85L00
135021
35-8120
IH761
LR165-708C
LR170-738C
05-052

Product info:

A-Circuit, 14.3V

A-Circuit
Voltage Set Point 14.30 V
Field Lamp Shorted Circuit
Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

HH-70052



Reference No.:

VR-H2000-18
L180-5340
L180G-5340
135022
35-8123
IH762
LR160-724
LR170-739B
05-088

Product info:

A-Circuit, 14.3V

A-Circuit
Voltage Set Point 14.30 V
Field Lamp Shorted Circuit
Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

HH-70053

Reference No.:

VR-H2000-23
GD108319-B
L195G-2340
23215-97E01
IH763

Product info:

A-Circuit, 14.3V

HH-70054



Reference No.:


VR-H2000-27
234311
L185G-2340
35-8128
IH765
LR180-742
LR185-701
05-018

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under/ Over Voltage Indication

HH-70055



Reference No.:


VR-H2000-28
L1100G-3340
L1100G-9340
138717
35-8127
IH766
LR1100-703
LR1110-705
05-059

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

HH-70056



Reference No.:

VR-H2000-38
VR-H2000-43
L170G-5315
L170G-6315
22020-85M10
IH767
138727
234314
35-8126
05-015

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication
LR170-743
LR170-745

HH-70057

Reference No.:

Product info:

HH-70058


Reference No.:

VR-H2000-52
L185G-2340
234311
23815-AA050
IH768

Product info:

A-Circuit, 14.4V

HH-70059



Reference No.:

VR-H2000-50
232443
IH769
LR150-511
LR1100-502F
05-014

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

HH-70060

Reference No.:

VR-H2000-26
GD211601A
L11102315
23215-60U00
IH770

Product info:

A-Circuit, 14.5V

HH-70061


Reference No.:

VR-H2000-48
GD109868A
234289
8971829570
IH772

Product info:

A-Circuit, 14.5V

HH-70062



Reference No.:

VR-H2000-46
L1100G8340
L1100G53402
231534
23215-OL701
IH774
05-036

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

HH-70063



Reference No.:

VR-H2000-41
L170G-3319
L170G-6308
139980
IH776
LR170-505
LR170-505B
05-004

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

HH-70064

Reference No.:

Product info:

HH-70065



Reference No.:

VR-H2000-43
L170G-6315
234314
23215-0W402
IH782
LR170-745
05-047

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

(2000 - 96) Infiniti, Nissan

HH-70066

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2000-56 | A-Circuit, 14.4V |
| LR180-509 | |
| 97189650 | |
| 290276-8100 | |
| IH783 | |

HH-70067

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2000-72 | A-Circuit, 14.5V |
| LR140-721B | |
| 119836-77201 | |
| IH784 | |

HH-70068



| | | |
|-----------------------|----------------------|--|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 28.60 V |
| VR-H2000-86B | A-Circuit, 28.6V | |
| 8971126460 | | |
| 05-003 | | |
| 13506600 | | |
| LR250-502C | | |
| LR250-507 | | |

HH-70069

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2000-57 | A-Circuit, 14.5V |
| LR170-760 | |
| LR170-767B | |
| 05-065 | |
| 13502100 | |

HH-70070

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| JFZ162 | A-Circuit, 14.5V |

HH-70071

Reference No.:

E-140-UT
486

Product info:

B-Circuit, 14.3V

HH-70072

Reference No.:

E-141-UT
316

Product info:

B-Circuit, 14.3V

HH-70073

Reference No.:

KO1390

Product info:

A-Circuit, 14.5V

HH-70074

Reference No.:

KO1434
KO1211
KO1179
35382080

Product info:

A-Circuit, 14.5V

HH-70075

Reference No.:

KO1427

Product info:

A-Circuit, 14.5V

HH-70076

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-LC304B | A-Circuit, 28.3V |
| 35681175 | |
| IF24V | |

HH-70077

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| KO1426 | A-Circuit, 14.5V |

HH-70078

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| 1889960 | B-Circuit, 14.3V |
| 2098300 | |
| VR32 | |
| CH524 | |

HH-70079



| | | |
|-----------------------|----------------------|---------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-B217H | A-Circuit, 14.3V | Voltage Set Point 14.30 V |
| 9190087039 | | |
| 9190087040 | | |
| 04-112 | | |

HH-70080

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-LC115 | A-Circuit, 14.4V |
| 35381720 | |
| GA720 | |
| 35213795 | |
| 35213940 | |
| 35213995 | |

HH-70081**Reference No.:**IHR758+IH762
L160-724
13531**Product info:**

A-Circuit, 14.5V

HH-70082**Reference No.:**IHR754+IH761
LR170-744
13334**Product info:**

A-Circuit, 14.5V

HH-70083**Reference No.:**IHR723+IH205
LR170-417**Product info:**

A-Circuit, 14.5V

HH-70084**Reference No.:**IHR723+IH252
L140-53202
L150-83201**Product info:**

A-Circuit, 14.5V

HH-70085**Reference No.:**IHR604+IH204
L150-13204**Product info:**

A-Circuit, 14.5V

HH-70086

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| IHR723+IH254 | A-Circuit, 14.5V |
| L140-53202 | |
| L150-83201 | |

HH-70087

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| IHR723+IH253 | A-Circuit, 28.3V |
| L140-53202 | |
| L150-83201 | |

HH-70088

| | | |
|-----------------------|----------------------|-------------|
| Reference No.: | Product info: | 37300-27010 |
| IH711 + REC | A-Circuit, 14.5V | 37300-27011 |
| | | 37300-27012 |
| | | 37300-27013 |
| | | 37300-27030 |
| | | 37300-27031 |

HH-70089

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| CS-T009 + REC | A-Circuit, 28.5V |
| 135680 | |

HH-70090

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| CS-T009 + REC | A-Circuit, 28.5V |
| 11516500 | |
| 113ZT22835F | |

HH-70091

Reference No.:

RV-H002
LR1100-502E
LR1100-502G
LR180-501
IHR769+IH769

Product info:

A-Circuit, 14.5V

HH-70092

Reference No.:

CS-H739C + REC
11501500
HI11302A-1ZT
LR190-763

Product info:

A-Circuit, 14.5V

HH-70093

Reference No.:

CS-H739B + REC
LR250-517
113190
11502200
HI11302BZT

Product info:

A-Circuit, 28.3V

HH-70094

Reference No.:

IHR773+IH766
LR1110-705
11502400
HI11303AZT

Product info:

A-Circuit, 14.5V

HH-70095

Reference No.:

IHR773+IH765
13939
11502600
HI11303AZT-2

Product info:

A-Circuit, 14.5V

HH-70096

Reference No.:

IHR770+IH744
LR1100-734
11502800
HI11304AZT

Product info:

A-Circuit, 14.5V

HH-70097

Reference No.:

IHR771+IH744
LR1110-713C
11502900
HI11305AZT

Product info:

A-Circuit, 14.5V

HH-70098

Reference No.:

IHR771+IH774
13901
11503000
HI11305AZT-1

Product info:

A-Circuit, 14.5V

HH-70099

Reference No.:

IHR771+IH741
11121
11503100
HI11305AZT-2

Product info:

A-Circuit, 14.5V

HH-70100

Reference No.:

IH765 + REC
LR190-734
11503200
HI11306ZT

Product info:

A-Circuit, 14.5V

HH-70101

| Reference No.: | Product info: |
|----------------|------------------|
| CS-H739B + REC | A-Circuit, 28.3V |
| LR280-508 | |
| 11503700 | |
| HI11308BZT | |
| RV-H017B | |

HH-70102

| Reference No.: | Product info: |
|----------------|------------------|
| CS-H739D + REC | A-Circuit, 28.3V |
| 11503800 | |
| HI11308BZT-1 | |

HH-70103

| Reference No.: | Product info: |
|----------------|------------------|
| CS-H739C + REC | A-Circuit, 14.5V |
| LR180-510 | |
| 11504200 | |
| HI11312ZT | |

HH-70104

| Reference No.: | Product info: |
|----------------|------------------|
| IHR773+IH744 | A-Circuit, 14.5V |
| 11504500 | |
| HI11313AZT | |

HH-70105

| Reference No.: | Product info: |
|----------------|------------------|
| IHR770+IH774 | A-Circuit, 14.5V |
| 13826 | |
| 11504700 | |
| HI11314AZT | |

HH-70106**Reference No.:**IHR669+IH669
LR1100-502MD
11505000
HI11315AZT**Product info:**

A-Circuit, 14.5V

HH-70107**Reference No.:**IHR669+IH769
LR1100-502
11504800
HI11315A-1ZT**Product info:**

A-Circuit, 14.5V

HH-70108**Reference No.:**IHR769+IH669
LR180-508
11505100
HI11317AZT**Product info:**

A-Circuit, 14.5V

HH-70109**Reference No.:**CS-H739C + REC
LR1110-501
11505700
HI11318AZT**Product info:**

A-Circuit, 14.5V

HH-70110**Reference No.:**IH739D + REC
LR280-501
11505900
HI11318BZT**Product info:**

A-Circuit, 28.3V

HH-70111**Reference No.:**IH744+REC
LR1100-705
11506200
HI11321AZT**Product info:**

A-Circuit, 14.5V

HH-70112**Reference No.:**IHR765+IH746
LR1130-701
48-8111
11120
11506400
HI11322AZT**Product info:**

A-Circuit, 14.5V

HH-70113**Reference No.:**REC + IH742
11506900
HI11324AZT**Product info:**

A-Circuit, 14.5V

HH-70114**Reference No.:**REC+IH765
13940
11507500
HI11332ZT**Product info:**

A-Circuit, 14.5V

HH-70115**Reference No.:**REC+CS-H205A
LR160-151
11516700
HI114ZT**Product info:**

A-Circuit, 14.3V

HH-70116



Reference No.:

IHR749+IH776
LR170-505
LR170-505B
11508510
HI11401ZT

Product info:

A-Circuit, 14.5V

HH-70117

Reference No.:

CS-H800 + REC
LR235-503C,503B
11509100
HI11402ZT
8970832860

Product info:

A-Circuit, 28.3V

HH-70118

Reference No.:

CS-H255 + REC
LR235-G3320
11509000
HI11402-3ZT

Product info:

A-Circuit, 14.5V

HH-70119

Reference No.:

IHR746+IH767
LR170-748,748B
LR180-751
LR190-729
11509310
HI11403ZT

Product info:

A-Circuit, 14.5V

HH-70120

Reference No.:

IHR778+IH767
LR160-727
LR180-741H
LR180-744
1150A010
HI11405ZT

Product info:

A-Circuit, 14.5V

HH-70121

| Reference No.: | Product info: |
|----------------|------------------|
| HI11406+IH767 | A-Circuit, 14.5V |
| LR160-727 | |
| 13644 | |
| 1150A110 | |
| HI11406ZT | |

HH-70122

| Reference No.: | Product info: |
|----------------|------------------|
| IHR744+IH765 | A-Circuit, 14.5V |
| 13645 | |
| 1150A400 | |
| HI11407AZT | |

HH-70123

| Reference No.: | Product info: |
|----------------|------------------|
| IHR669+IH769 | A-Circuit, 14.5V |
| LR190-737 | |
| 23100-OW001 | |
| 1150A810 | |
| HI11408ZT | |

HH-70124

| Reference No.: | Product info: |
|----------------|------------------|
| IHR738+IH738 | A-Circuit, 14.5V |
| 1150AC10 | |
| HI11410ZT | |

HH-70125

| Reference No.: | Product info: |
|----------------|------------------|
| CS-H765 + REC | A-Circuit, 14.5V |
| LR160-728E | |
| 1150AM00 | |
| HI11412ZT | |

HH-70126

| Reference No.: | Product info: | |
|----------------|------------------|---------------|
| HI11413 | A-Circuit, 14.3V | K01215 KO1215 |
| CS-HA02 | | K01216 KO1216 |
| 1150AN00 | | K01312 KO1312 |
| HI11413ZT | | |

HH-70127

| Reference No.: | Product info: |
|----------------|------------------|
| IHR745+IH767 | A-Circuit, 14.5V |
| 13728 | |
| 1150AP00 | |
| HI11414ZT | |

HH-70128

| Reference No.: | Product info: |
|----------------|------------------|
| CS-H739C + REC | A-Circuit, 14.5V |
| 1150AS00 | |
| HI11417ZT | |

HH-70129

| Reference No.: | Product info: |
|----------------|------------------|
| REC + IH744 | A-Circuit, 14.5V |
| LR190-747 | |
| 1150AV00 | |
| HI11423-2ZT | |

HH-70130

| Reference No.: | Product info: |
|----------------|------------------|
| IHR764+IH744 | A-Circuit, 14.5V |
| LR190-744 | |
| 13825 | |
| 1150AX00 | |
| HI11424ZT | |

HH-70131

Reference No.:

IHR742+IH742
LR190-742
13829
1150AZ00
HI11427AZT1

Product info:

A-Circuit, 14.5V

HH-70132

Reference No.:

REC + IH744
LR180-763
12391077210
1150B200
HI11430ZT

Product info:

A-Circuit, 14.5V

HH-70133

Reference No.:

CS-HA01 + REC
K01372
K01376

Product info:

A-Circuit, 14.3V

HH-70134

Reference No.:

CS-HA02 + REC
K01593

Product info:

A-Circuit, 14.3V

HH-70135

Reference No.:

CS-HA03 + REC
K01201
K01427
K01153
K01313

Product info:

A-Circuit, 14.3V

HH-70136**Reference No.:**CS-HA05 + REC
KO1174
K01202**Product info:**

A-Circuit, 14.3V

HH-70137**Reference No.:**JFZB190-175
AOFZT90-20
8-50A**Product info:**

A-Circuit, 14.3V

HH-70138**Reference No.:**

186F

Product info:

A-Circuit, 13.5V

HH-70139**Reference No.:**GH5530
185530
RS5155
RP201-53710
15531-64603**Product info:**

SERIES-TYPE14.7V

HH-70140**Reference No.:**

JFZ141

Product info:

A-Circuit, 28.3 V

HH-70141

| Reference No.: | Product info: |
|----------------|------------------|
| 202052001 | B-Circuit, 14.3V |

HH-70142

| Reference No.: | Product info: |
|----------------|------------------|
| 20205002 | B-Circuit, 28.3V |

HH-70143

| Reference No.: | Product info: |
|----------------|------------------|
| VR-H2003-1B | A-Circuit, 27.5V |
| 1812510240 | |
| 0330002200 | |
| IZ226 | |

HH-70144

| Reference No.: | Product info: |
|----------------|------------------|
| VR-H2003-2B | A-Circuit, 28.8V |
| 1812600040 | |
| 1812600050 | |
| 1440000900 | |
| IZ228 | |

HH-70145

| Reference No.: | Product info: |
|----------------|---------------|
|----------------|---------------|

LD-70001

| Reference No.: | Product info: |
|----------------|-------------------|
| VR-LD160 | A-Circuit, 14.2 V |
| 173702 | |
| 21083701500 | |
| 567625/5 | |
| 21229189 | |
| UCB902 | |
| IR673 | |

LD-70002

| Reference No.: | Product info: |
|----------------|-------------------|
| VAZ2110 | A-Circuit, 14.4 V |

LD-70003

| Reference No.: | Product info: |
|----------------|------------------|
| IR670 | A-Circuit, 14.4V |
| IP68 14B 0509 | |

LD-70004

| Reference No.: | Product info: |
|----------------|-------------------|
| IR671 | A-Circuit, 28.3 V |
| IP68 28B 0903 | |

LD-70005

| Reference No.: | Product info: |
|----------------|------------------|
| 2108-3701500 | A-Circuit, 14.5V |

LD-70006

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| | A-Circuit, 28.2V |

LD-70007

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| TRT5 | B-Circuit, 14.5V |

LD-70008

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| TRT3-01 | B-Circuit, 14.5V |

LD-70009

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| | B-Circuit, 28.3V |

LD-70010



| | | |
|-----------------------|----------------------|--------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-LC100 | A-Circuit, 14.6V | Voltage Set Point 14.60V |
| 37534 | | |
| 37538 | | |
| 37541 | | |
| 37555 | | |
| 130637 | | |
| IL211 | | |
| 35-9200 | | |

LD-70011

| Reference No.: | Product info: |
|----------------|------------------|
| 37582 | A-Circuit, 14.2V |
| 37583 | |
| 37590 | |
| 130639 | |
| IL214 | |

LD-70012

| Reference No.: | Product info: | |
|----------------|------------------|--------|
| VR-LC200 | A-Circuit, 14.3V | 131145 |
| 37624 | | UCB133 |
| 37636 | | UCB134 |
| 37640 | | |
| IL219 | | |

LD-70013



| Reference No.: | Product info: | |
|----------------|------------------|---|
| VR-LC111 | A-Circuit, 14.4V | A-Circuit Voltage Set Point 14.40 V |
| 37701 | | |
| 37703 | | |
| 37705 | | Ford/J.I.Case/Massey Ferguson Tractors & other Lucas 21TR Application |
| IL223 | | |
| 131277 | | |
| CA600IR | | |
| 00-001 | | |

LD-70014


| Reference No.: | Product info: |
|----------------|-------------------|
| VR-LC113L | A-Circuit, 14.3 V |
| 37735 | |
| UCB153 | |
| 133789 | |
| IL224 | |

LD-70015



| Reference No.: | Product info: | |
|----------------|------------------|---|
| VR-LC111B | A-Circuit, 28.5V | A-Circuit Voltage Set Point 28.50 V |
| 135231 | | |
| UCB153 | | Ford Tractor JCB Equipment Massey Ferguson |
| IL225 | | |
| 35-9211 | | |
| 00-003 | | |

LD-70016



Reference No.:

133417
134291
0134541
MP291
10-001

Product info:

A-Circuit, 14.4 V

A-Circuit
Voltage Set Point 14.50 V

LD-70017

Reference No.:

Product info:

LD-70018

Reference No.:

0134731
443930134731
137357
TR-20
MP293

Product info:

A-Circuit, 28.4V

LD-70019

Reference No.:

EQ153

Product info:

A-Circuit, 28.4V

LD-70020

Reference No.:

EQ153

Product info:

A-Circuit, 28.4V

LD-70021

| | |
|--------------------------------|--|
| Reference No.: EQ153 | Product info: A-Circuit, 28.4V |
|--------------------------------|--|

LD-70022

| | |
|--------------------------------|--|
| Reference No.: EQ153 | Product info: A-Circuit, 28.4V |
|--------------------------------|--|

LD-70023

| | |
|--|--|
| Reference No.: VR-LC107 26938068B TR15 DVB020 | Product info: A-Circuit, 14.4V |
|--|--|

LD-70024

| | |
|---|--|
| Reference No.: VR-LC106 26215045 SR30 DVB019 | Product info: A-Circuit, 14.4V |
|---|--|

LD-70025

| | | |
|--|--|-------------------|
| Reference No.: VR-LC112 2193818A SR60 9999TV 659009 268180A | Product info: A-Circuit, 14.3V | 234744 268181A |
|--|--|-------------------|

LD-70026

| Reference No.: | Product info: |
|----------------|------------------|
| | A-Circuit, 28.2V |

LD-70027

| Reference No.: | Product info: |
|---|------------------|
| VR-LC108 26938063A SR40 DVB022 | A-Circuit, 27.8V |

LD-70028

| Reference No.: | Product info: |
|----------------|------------------|
| SR96 DVB023 | A-Circuit, 14.5V |


LD-70029

| Reference No.: | Product info: |
|------------------------------|------------------|
| VR-LC110 26214105 GA15 | A-Circuit, 14.6V |

LD-70030

| Reference No.: | Product info: |
|---------------------|------------------|
| 1260003111 IW800 | A-Circuit, 28.4V |

LD-70031



Reference No.:

VR-H2002-1
27700-1700
23500-Z9007
1219-008-00X0
136168
IW700

Product info:

A-Circuit, 28.6V

A-Circuit
Voltage Set Point 28.60 V
Lamp Shorted Circuit Protection
L Terminal Does Not Drive Choke

LD-70032

Reference No.:

Product info:

A-Circuit, 14.5V

LD-70033

Reference No.:

JFZ2505

Product info:

A-Circuit, 28.4V

LD-70034

Reference No.:

Product info:

LD-70035

Reference No.:

Product info:

MD-70001



Reference No.:

VR-K01
02121-8027
02121-9012
PG101
06-070

Product info:

A-Circuit, 14.8V

A-Circuit
Voltage Set Point 14.80V

MD-70002



Reference No.:

VR-K01B
K61A-24-520
139469
PG133

Product info:

A-Circuit, 28.6 V

A-Circuit
Voltage Set Point 28.60V

MD-70003

Reference No.:

02122-3030

Product info:

A-Circuit, 14.5V

MD-70004

Reference No.:

OK620-24-520A

Product info:

A-Circuit, 28.3 V

MD-70005

Reference No.:

OK72A-18-300
02131-9021
3730012470

Product info:

A-Circuit, 14.5V


MD-70006

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-K02 | A-Circuit, 14.5V |
| OK7224520 | |
| 3730012470 | |
| PG102 | |

MD-70007

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-F162 | A-Circuit, 14.5V |
| Q5036884 | |

MD-70008



| | | |
|-----------------------|----------------------|---------------------------------------|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 14.50V |
| VR-MD06 | A-Circuit, 14.5V | |
| 37370-22600 | | (2003 - 00) Hyundai |
| TA500C09001 | | |
| 234654 | | |
| IY028 | | |
| AB180128 | | |
| 06-066 | | |

MD-70009



| | | |
|-----------------------|----------------------|---------------------------------------|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 14.50V |
| VR-H2009-86 | A-Circuit, 14.5V | |
| TA500C02401 | | |
| 138204 | | |
| IY058 | | |
| 37300-22200 | | |
| AB190058 | | |
| 06-067 | | |

MD-70010




| | | |
|-----------------------|----------------------|---------------------------------------|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 14.50V |
| VR-MD07 | A-Circuit, 14.5V | |
| AB170094 | | |
| IY094 | | |
| 231425 | | |
| AB170094 | | |
| AB180140 | | |
| 06-065 | | |

MD-70011

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| TA500C07301 | A-Circuit, 14.4 V |
| 37300-37110 | |
| AB195116 | |
| IY116 | |

MD-70012




| | | |
|-----------------------|----------------------|---------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2009-106 | A-Circuit, 14.5 V | Voltage Set Point 14.50 V |
| TA500C07101 | | DFM Function |
| AB195126 | | |
| IY126 | | |
| 06-111 | | |

MD-70013




| | | |
|-----------------------|----------------------|-------------------------|
| Reference No.: | Product info: | Voltage Set Point:14.40 |
| VR-MD08 | A-Circuit, 14.4V | Regulation:A-Circuit |
| 37300-39010 | | |
| 37300--39600 | | |
| AB112112 | | |
| AB112145 | | |
| IY145 | | |

MD-70014



| | | |
|-----------------------|----------------------|---------------------------|
| Reference No.: | Product info: | A -Circuit |
| 37300-39600 | A-Circuit, 14.5 V | Voltage Set Point 14.50 V |
| AB112145 | | DFM function |
| IY146 | | |
| 13967 | | |
| 06-112 | | |

MD-70015



| | | |
|-----------------------|----------------------|---------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-MD01 | A-Circuit, 14.5 V | Voltage Set Point 14.50 V |
| 37300-42000 | | |
| 37340-42540 | | |
| IY422 | | |
| 37300-42621 | | |
| 37300-47451 | | |
| 06-029 | | |

MD-70016

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-MD01 | A-Circuit, 14.5 V |
| 37300-42000 | |
| 37340-42540 | |
| IY103 | |

MD-70017

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-K04 | A-Circuit, 14.5V |
| 31400-A78B02 | |
| DAD25006D | |
| IY510 | |

MD-70018

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-K03 | A-Circuit, 14.5V |
| 31410-A80D00 | |
| IY511 | |

MD-70019

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| TA500C03101 | A-Circuit, 14.7V |
| TA500C0310A | |
| JFZ1921 | |
| IY742 | |

MD-70020



| | | |
|-----------------------|----------------------|----------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2009-116 | A-Circuit, 14.5V | Voltage Set Point 14.50 V |
| 236638 | | |
| TA500C02701 | | Mando 75 – 80A IR/IF |
| TA500C02001A | | Alternators(1997 – 94) Kia |
| IY794 | | |
| 35-9209 | | |
| 06-093 | | |
| AB170036 | | |
| AB170066 | | |

MD-70021

Reference No.:

37300-02503
AB160108
439384
IY796

Product info:

A-Circuit, 14.5V

MD-70022



Reference No.:

VR-MD12
37370-47301
IY702
06-081
37300-42353
37300-42355

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50V

MD-70023

Reference No.:

VR-H2009-128
37370-42300
37370-4A110
235551
IY727

Product info:

A-Circuit, 14.5V

MD-70024

Reference No.:

VR-MD06L
37370-22600
TA500Z09001
IY903

Product info:

A-Circuit, 14.6V

MD-70025

Reference No.:

973740980
235205
IY108

Product info:

A-Circuit, 14.5V

MD-70026

Reference No.:

JFZ172A9

Product info:

A-Circuit, 14.5V

MD-70027

Reference No.:

VR-H2009-157

37311-00J11-A1

Product info:

A-Circuit, 14.5V

MD-70028

Reference No.:

Product info:

A-Circuit, 14.5V

MD-70029

Reference No.:

JFZ172A

Product info:

A-Circuit, 14.5V

MD-70030

Reference No.:

VR-H2009-117

9614258

JA500C03801

JFZ182

IY112

Product info:

A-Circuit, 14.5V

MD-70031

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-191B | A-Circuit, 28.4V |
| TA500C07401D | |
| CSOSG22 | |
| TRUCC | |
| MIGHTY-2 | |
| IY713 | |

MD-70032

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| TA500C06001C | A-Circuit, 28.4V |
| JA500C07401 | |
| 3737041750 | |
| IY704 | |

MD-70033

| | | |
|-----------------------|----------------------|------------------------|
| Reference No.: | Product info: | 518,234309,362,499,458 |
| VR-H2009-85 | A-Circuit, 14.5V | |
| A2TB4891A | | |

MD-70034

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2000-87 | A-Circuit, 14.5V |
| LR1140-803E | |
| LR1140-806 | |
| 23100-EW800 | |
| 23100-ED500 | |

MD-70035



| | | |
|-----------------------|----------------------|---------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2009-58 | A-Circuit, 14.8V | Voltage Set Point 14.80 V |
| A2TA0591 | | |
| A2TA0592 | | |

MD-70036

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| | A-Circuit, 28.3V |

MD-70037

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| 0375190150 | A-Circuit, 28.3V |
| 0375190151 | |
| IZ229 | |

MD-70038

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-V005 | A-Circuit, 14.5V |
| JFZ1929C-9 | |
| DIODES | |
| 37300-23720 | |

MD-70039

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| M532 | B-Circuit, 14.5V |
| 37300-2260 | |
| A0002655023 | |
| A002655023 | |
| JFZ1929C-6DIOD | |
| ES | |

MD-70040

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| | A-Circuit, 14.5V |

MD-70041

Reference No.: **Product info:**
A-Circuit, 14.5V

MD-70042

Reference No.: **Product info:**
A-Circuit, 14.5V

MD-70043

Reference No.: **Product info:**
A-Circuit, 14.5V

MD-70044

Reference No.: **Product info:**
A-Circuit, 14.5V

MD-70045

Reference No.: **Product info:**
A-Circuit, 14.5V

MD-70046

Reference No.: **Product info:**
A-Circuit, 14.5V

MD-70047

Reference No.: **Product info:**
A-Circuit, 14.5V

MD-70048

Reference No.: **Product info:**
A-Circuit, 14.5V


MD-70049

Reference No.: **Product info:**

MD-70050

Reference No.: **Product info:**

MH-70001



Reference No.:


VR-H2009-21
A866T02070
137397
IM203
06-027
A1T70283
A1T70783

Product info:

A-Circuit, 28.5V

A-Circuit
Voltage Set Point 28.50 V

MH-70002



Reference No.:


VR-H2009
A866T00670
A866T00470
130835
IM204
35-8300
A1T23377
A1T25077

Product info:

A-Circuit, 14.6 V

A-Circuit
Voltage Set Point 14.60 V

MH-70003



Reference No.:


VR-H2009-18
A866T03070
A866T1827
131290
35-8304
IM205
06-009
A1T32084
A2T40484

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V

MH-70004



Reference No.:


VR-H2009-48
A866T06570
IM207
35-8360
06-044
A00522578
A5T23083

Product info:

A-Circuit, 14.6 V

A-Circuit
Voltage Set Point 14.60 V

MH-70005



Reference No.:


VR-H2009-46
A866T08570
ME700556
IM208
35-8344
06-018
A2T32386
A2T32583

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V

MH-70006



Reference No.:


VR-H2009-47
A866T06870
137396
ME700635
IM212
06-011
A2T72186
A2T72189

Product info:

A-Circuit, 28.5V

A-Circuit
Voltage Set Point 28.50 V

MH-70007



Reference No.:


VR-H2009-12
A866T06670
131517
ME700571
IM213
06-003
A5T70383

Product info:

A-Circuit, 28.5V

A-Circuit
Voltage Set Point 28.50 V

MH-70008



Reference No.:


VR-H2009-17
A866T01070
A866X01070
131518
IM215
35-8328
06-039
A003T76072
A004T57472

Product info:

A-Circuit, 28.5V

A-Circuit
Voltage Set Point 28.50 V

MH-70009



Reference No.:

VR-H2009-4A
VR-H2009-4H
A866X04870
A866X04871
131524
132717
136730
MD611032
IM216HD
06-001


Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

(1989 - 84) Dodge, Ford,
Hyundai,
Mazda, Mitsubishi, Plymouth

MH-70010



Reference No.:


IM216

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50
Regulation:A-Circuit

MH-70011



Reference No.:


VR-H2009-6H
A866X05270
A866X09071
131523
MD611432
IM217
35-8302
06-004
MD102084
MD102085

Product info:

A-Circuit, 14.5 V

A-Circuit
Voltage Set Point 14.50V
Same as IM217 except heavy
duty design

MH-70012



Reference No.:


37300-42000
37340-42540
VR-MD01
IY422
37300-42621
37300-47451
06-029

Product info:

A-Circuit, 14.5 V

A-Circuit
Voltage Set Point 14.50 V

MH-70013



Reference No.:

VR-H2009-38
A866X23182
A866X22272
136649
230885
IM222
35-8339
06-006

Product info:

A-Circuit, 14.5 V

A-Circuit
Voltage Set Point 14.50V

MH-70014

Reference No.:

VR-H2009-49
A866X2320
139043
940038102
IM232

Product info:

A-Circuit, 14.5 V

MH-70015

Reference No.:

VR-H2009-27
A866X06470
A866X06471
132102
23133-08E15
23133-08515
IM262

Product info:

A-Circuit, 14.6 V

MH-70016

Reference No.:

VR-H2009-8H
A866X06470
A866X06471
A866X06472
132102
IM263

Product info:

A-Circuit, 14.5 V

MH-70017

Reference No.:

VR-H2009-7H
A866X12770
A866X12772
132101
IM265
06-118
A2T05772
A2T05772X

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

MH-70018



Reference No.:

VR-H2009-9H
A866X07570
132041
FE85-18-W70
IM266

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50
Regulation:A-Circuit

(1989 - 86) Ford, Mazda

MH-70019

Reference No.:

VR-H2009-32
A866X08270/271
134087
31150-PE0-927
IM267

Product info:

A-Circuit, 14.5V

MH-70020

Reference No.:

VR-H2009-10A
A866X13970
E8PZ-10316B
GRE793
IM268

Product info:

A-Circuit, 14.5V

MH-70021


Reference No.:

VR-H2009-11H
A866X14070
E8PZ-10316A
GRE792
IM270

Product info:

A-Circuit, 14.5V

MH-70022



Reference No.:

VR-H2009-15
A866X21472
135030
136647
136732
IM284
06-053
A2T14694
A2T18792

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50V
L Terminal Drive Choke

MH-70023

Reference No.:

VR-H2009-25
A866X15471
E9PZ-10316B
GRE797
IM272

Product info:

A-Circuit, 14.4V

MH-70024

Reference No.:

VR-H2009-20
A866X13670
A866X13671
135064
31150-PM50040
IM273

Product info:

A-Circuit, 14.5V

MH-70025


Reference No.:

VR-H2009-23
A866X08470
A866X08472
23125-58S10
IM274

Product info:

A-Circuit, 14.5V

MH-70026



Reference No.:

VR-H2009-14N
VR-H2009-92
A866X11870
A866X11872
135033
IM275
06-119
A1T03191
A1T03191ZC

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

MH-70027

Reference No.:

VR-H2009-34
A866X15770
A866X15772
135034
23815-5A030
IM276

Product info:

A-Circuit, 14.5V

MH-70028


Reference No.:

VR-H2009-26
179
A866T17972
134088
A866X17972
IM277

Product info:

A-Circuit, 14.5V

MH-70029



Reference No.:

VR-H2009-103
A866X14570
A866X14572
IM278
134088
35-8326
06-041

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50V

MH-70030

Reference No.:

VR-H2009-24
A866X17170
A866X17171
134026
GRE800
IM279

Product info:

A-Circuit, 14.5V

MH-70031



Reference No.:


VR-H2009-33
A866X17072
135032
IM280
35-8324
06-030
A2T18177
A2T18277

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50V

MH-70032



Reference No.:


VR-H2009-28
A866X09171
MD611481
131471
35-8355
IM281
06-013
A002T01384
A002T01783

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

MH-70033



Reference No.:

VR-H2009-30
A866X12682
136549
FR71-18-W70
IM282

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
Mazda Capella 2000 Diesel

MH-70034



Reference No.:

VR-H2009-15
A866X21472
135030
IM284
06-053
A2T14694
A2T18792

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50V
L Terminal Drive Choke

HH-70035


Reference No.:

VR-H2009-41
A866X11772
136731
MD611743
IM285

Product info:

A-Circuit, 14.5V

MH-70036



Reference No.:
VR-H2009-69B
A866X08871
A866X19972
235884
ME700783
ME701196
IM286
06-052

Product info:
A-Circuit, 28.7V

A-Circuit
Voltage Set Point 28.70 V

MH-70037

Reference No.:
VR-H2009-185
A866X09270
A866X09271
MD611502
IM287

Product info:
A-Circuit, 14.5V

MH-70038




Reference No.:
VR-H2009-75
809163
811883
136742
IM288
06-107
A000B0331
A000B0341

Product info:
A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V

MH-70039




Reference No.:
VR-H2009-63
A866X26172
138309
IM290
06-036
A1T06391
A1T06672

Product info:
A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V

MH-70040




Reference No.:
VR-H2009-15
A866X21472
135030
23215-64J12
IM291
06-053
A2T14694
A2T18792

Product info:
A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50V
L Terminal Drive Choke

MH-70041



Reference No.:

VR-H2009-45
A866X22472
A866X23072
137182
23215-0P611
IM292
35-8343
06-031
A002T33593
A002T33593A

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

MH-70042


Reference No.:

VR-H2009-64
A866X24572
A866X28475
138632
MM502576
IM293

Product info:

A-Circuit, 14.5V

MH-70043



Reference No.:

VR-H2009-69
A866X09871
ME700799
IM294
06-055

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.80V

MH-70044


Reference No.:

VR-H2009-64A
284 A866X28472
333325
MM502585
IM295

Product info:

B-Circuit, 14.7V

MH-70045



Reference No.:

VR-H2009-62
A866X31882
234541
IM318
06-114
A5TA1191
A5TA1191ZC

Product info:

A-Circuit, 14.7V


A-Circuit
Voltage Set Point 14.70 V
Under Voltage Indication

MH-70046

Reference No.:
VR-H2009-121
23100-2Y005

Product info:
A-Circuit, 14.5V

MH-70047



Reference No.:
VR-H2009-70A
A866X34172
138340
MD619268
IM341
06-096
A2TA4991
A2TA5192

Product info:
A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
Field, Lamp Shorted Circuit
Protection
Sense Loss Indication
Under Voltage Indication
Over Voltage Indication
DFM function

MH-70048




Reference No.:
VR-H2009-115
A866X34272
A866X35072
IM342
35-8322
06-037
A2TA7591
A2TA7691

Product info:
A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

MH-70049



Reference No.:
VR-H2009-95
A866X34572
138872
Z599-18-W70
IM345
06-034
A002TB0091
A003TG1291

Product info:
A-Circuit, 14.5V

Works with PCM
Terminal Identification P-D

MH-70050



Reference No.:
VR-H2009-115
A866X35072
23815-AA090
IM342
06-037
A2TA7591
A2TA7691

Product info:
A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

MH-70051


Reference No.:

VR-H2009-83
A866X35872
358
233745
IM358

Product info:

A-Circuit, 14.5V

MH-70052



Reference No.:


VR-H2009-118
A866X36272
230043
232150M011
IM362
06-035
A002T33593
A002T82491

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

MH-70053




Reference No.:

VR-H2009-108
IM369

Product info:

A-Circuit, 14.5V

MH-70054



Reference No.:


VR-H2009-90
A866X42572
235279
91174657
IM381
06-116
A5TA3891
A5TA4291

Product info:

A-Circuit, 14.7V

A-Circuit
Voltage Set Point 14.70 V
Soft Start 30 % LRC 5 sec
Field Lamp Shorted Circuit
Protection
Under/ Over Voltage Indication

MH-70055



Reference No.:

VR-H2009-135B
A4TA0591
5343228C
238949
IM383
06-115
A4TA0591
A4TA0592

Product info:


A-Circuit, 28.3V

A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
IG / Sense Open Indication
L Terminal Drives Choke
Under/ Over Voltage Indication

MH-70056

Reference No.: IM401
Product info: A-Circuit, 28.5V

MH-70057



Reference No.: VR-H2009-100
A866X46572
235665
GY01-18-W70
IM465
06-051
A3TG0081
A3TG0091

Product info: A-Circuit, 14.5V

Voltage Set Point:14.40V
Regulation:A-Circuit
Works with PCM
Terminal Identification P-D

(2005 - 00) Mazda,Mitsubishi
ED/IF Alternators

MH-70058

Reference No.: VR-H2009-109
A866X47272
235897
23815-AA160
IM472

Product info: A-Circuit, 14.5V

MH-70059

Reference No.: ~~VR-H2009-122~~
~~VR-H2009-145~~
A866X56672
A866X54472
A866X56566
332861
IM473

Product info: A-Circuit, 14.5V

MH-70060




Reference No.: VR-H2009-99
A866X47672
A866X35672
A866X37272
231510
23215-AG010
IM476
06-050
A2T05892C
A2T33191A

Product info: A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication

MH-70061



Reference No.:


VR-H2009-107
A866X48072
A866X43372
23815-AA140
IM848
06-092
A2TB2891
A2TB2991

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

MH-70062



Reference No.:


VR-H2009-105
A866X49872
235450
IM498
06-097
A1TA3391
A1TA3392

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
DFM function

MH-70063



Reference No.:


VR-H2009-3
IM225
131289
A866T00870
A866T02270
A866T02970

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
FOR USE ON
Mazda,Nissa

MH-70064



Reference No.:


VR-H2009-102
A866X50372
RES14481
235843
IM503
06-074
A5TA7792

Product info:

A-Circuit, 14.25V

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Rejulator

MH-70065



Reference No.:


VR-H2009-114
A866X50572
331633
IM505
06-100
A2TJ0391
A2TJ0791

Product info:

A-Circuit, 14.4V

Works with PCM
Traditional test method will
immediately damage P-D

MH-70066




Reference No.:
IM480

Product info:
A-Circuit, 14.4V

Voltage Set Point:14.50V
Regulation:A-Circuit

(2009 - 02) Subaru

MH-70067



Reference No.:
VR-H2009-169
A866X54572
IM545

Product info:
A-Circuit, 14.5V


Voltage Set Point:14.50V
Regulation:A-Circuit

MH-70068

Reference No.:
VR-H2009-130
54759223-04691
A866X68272
A866X54779
A866X54762
IM547

Product info:
A-Circuit, 14.5V

MH-70069



Reference No.:
VR-H2009-113
31150-RNA-A01
A866X55852
IM558
06-109
A2TC1391
A2TC1391ZC

Product info:
A-Circuit, 14.7V

A-Circuit
Voltage Set Point 14.5 V
Soft start 30% LRC 5 sec
DFM function

MH-70070



Reference No.:
VR-H2009-148
5648111D
235836
IM564

Product info:
A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication

MH-70071

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-139 | A-Circuit, 14.7V |
| 6050921F | |
| 332942 | |
| 31150-RB0-004 | |
| IM569 | |

MH-70072

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-119 | A-Circuit, 14.6V |
| IM582 | |

MH-70073

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-170 | A-Circuit, 14.5V |
| 9642124980 | |
| IM606 | |

MH-70074



| | | |
|-----------------------|----------------------|------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2009-140 | A-Circuit, 14.25V | RC=0 Vs=13.50V |
| IM622 | | RC=55% Vs=14.25V |
| 6224Y12N | | PCM Regulator |
| 6224Z04A | | |
| 06-124 | | |
| A2TX0191 | | |
| A3TX0091 | | |

MH-70075

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-132B | A-Circuit, 28.3V |
| A4TR5894ZT | |
| 553 | |
| IM688 | |

MH-70076




Reference No.:
VR-H2009-183B
330970

Product info:
A-Circuit, 28.5V

A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field, Lamp Shorted Circuit Protection
IG Open Indication
Sense Loss Indication
Under Voltage Indication
Over Voltage Indication
DFM function

MH-70077



Reference No.:
VR-H2009-82
A866X40371
230985
IM757
06-014
A003TN1791
CA1317IR

Product info:
A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V

Ford Transit Unit A3TN1791

MH-70078

Reference No.:
VR-H2009-35
189
A866X18972
TA500C01801
IM829

Product info:
A-Circuit, 14.5V

MH-70079



Reference No.:
VR-H2009-22
A866X20472
A866X20972
135233
IM830
35-8333
06-032
A002T33191
A003T08491

Product info:
A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

Mazda MX-6,RX-7,
Ford Probe,Thunderbird

MH-70080




Reference No.:
VR-H2009-129
A866X38072
135233
B30718W70
A866X24072
A866X20572
A866X24082
A866X25372
06-140

Product info:
A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

MH-70081



Reference No.:


VR-H2009-78
A866T09780
A866T09782
IM831
06-088
37300-33010
37300-33013

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

MH-70082



Reference No.:


VR-H2009-37
A866X22272
A866X23182
136649
MD618696
IM832
35-8336
06-110
A2T34892
A2T35091

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50V
Sense Open Indication
Under/Over Voltage Indication

MH-70083



Reference No.:

VR-H2009-44
A866X23772
A866X23773
139667
IM834
06-134
A5T07091ZC
A5T07092ZC

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

MH-70084

Reference No.:

IM834B

Product info:

A-Circuit, 14.5V

MH-70085

Reference No.:

VR-H2009-50
266,A866X26641
A866X26682
04314-P08-004
IM835

Product info:

A-Circuit, 14.7V

MH-70086

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-43 | A-Circuit, 14.5V |
| 242,A866X24272 | |
| F3LY-10316A | |
| GRE812 | |
| IM836 | |

MH-70087



| | | |
|-----------------------|----------------------|--------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2009-33 | A-Circuit, 14.5V | Voltage Set Point 14.50V |
| A866X17072 | | |
| 135032 | | |
| GRE805 | | |
| IM280 | | |
| 35-8324 | | |
| A2T18177 | | |
| A2T18277 | | |

MH-70088

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-40 | A-Circuit, 14.5V |
| 220,A866T38570 | |
| 135064 | |
| 04314-P08-014 | |
| IM839 | |

MH-70089

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| 304,A866X30470 | A-Circuit, 28.5V |
| F5PZ-10334-A | |
| IM840 | |

MH-70090

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| A866X49772 | A-Circuit, 14.5V |

MH-70091



Reference No.:

231425
VR-MD07
IY094
06-065
AB170094
AB180140

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50V

MH-70092



Reference No.:

VR-H2009-77
A866X26070
A866X26072
333354
ME701302
IM843
06-019
A4T40286
A4T40287


Product info:

A-Circuit, 28.6V

A-Circuit
Voltage Set Point 28.60 V

Mitsubishi Motors Industrial,
Fuso Truck

MH-70093



Reference No.:

VR-H2009-88
VR295
04314-P0G-A02
IM844


Product info:

A-Circuit, 14.7V

Voltage Set Point:14.70V
Regulation:A-Circuit

Honda Accord

MH-70094



Reference No.:


VR-H2009-73
A866X28572
234313
MD618957
IM845
35-8346
06-122
A2T80491
A2T82791

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Sense Open Indication
Under/ Over Voltage Indication
DFM Function

MH-70095



Reference No.:

VR-H2009-80B
A866X28372
234304
ME701399
IM846
06-008
A003TN5288
A003TN5883

Product info:

A-Circuit, 28.7V

A-Circuit
Voltage Set Point 28. 70V

MH-70096



Reference No.:

VR-H2009-67
A866X25572
235762
MD619167
IM847


Product info:

A-Circuit, 14.4V

Voltage Set Point:14.40V
Regulation:A-Circuit

Mitsubishi Fuso Canter Truck

MH-70097



Reference No.:

VR-H2009-107
A866X43372
4276125T
235102
23815AA140
IM848
06-092
A2TB2891
A2TB2991

Product info:

A-Circuit, 14.4V

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

MH-70098


Reference No.:

VR-H2009-67
A866X57172
IM849

Product info:

A-Circuit, 14.5V

MH-70099



Reference No.:


VR-H2009-71
31150-P2E-A01
IM850
06-117
A5TA0991
A5TA0991ZC

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Under Voltage Indication
DFM Function

MH-70100



Reference No.:

VR-H2009-94
A866X48782
235278
31150-PLC-004
IM851
06-108
A2TB7591
A5TA7091

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.5 V
Soft start 30% LRC 5 sec
DFM function


MH-70101

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-65 | A-Circuit, 14.6V |
| 172,A866X17272 | |
| 23815-AA020 | |
| IM852 | |

MH-70102

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-152 | A-Circuit, 14.5V |
| 438 | |
| VR-H2009-119 | |
| IM853 | |

MH-70103



| | | |
|-----------------------|----------------------|--------------------------|
| Reference No.: | Product info: | |
| VR-H2009-79 | A-Circuit, 14.4V | A-Circuit |
| A866X27572 | | Voltage Set Point 14.40V |
| 139110 | | Sense Open Indication |
| ME701363 | | Under Voltage Indication |
| IM854 | | Over Voltage Indication |
| 06-085 | | |
| JA1376IR | | |

MH-70104

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-120 | A-Circuit, 14.5V |
| A866X39183 | |
| 23100-FU410 | |
| IM826 | |

MH-70105

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-175 | A-Circuit, 14.5V |
| ME192608 | |

MH-70106



Reference No.:

37370-22600
TA500-C09001
234654
VR-MD06
IY028
06-066
AB180128

Product info:

A-Circuit, 14.5V

A-Circuit

Voltage Set Point 14.50V

MH-70107

Reference No.:

VR-H2009-172
IM527

Product info:

A-Circuit, 14.5V

MH-70108



Reference No.:

TA500C02401
138204
VR-H2009-86
IY058
06-067
37300-22200
AB190058

Product info:

A-Circuit, 14.5V

A-Circuit

Voltage Set Point 14.50V

MH-70109



Reference No.:

VR-H2009-58
06-046

Product info:

A-Circuit

Voltage Set Point 14.80 V

MH-70110

Reference No.:

VR-H2009-112
CA1652IR
A2TB6481
A2TC0981
A2TC0982
235547

Product info:

A-Circuit, 14.5V

MH-70111**Reference No.:**
VR-H2009-201
230042**Product info:****MH-70112****Reference No.:**
A866X32672
230042
IM992**Product info:**
A-Circuit, 14.4V**MH-70113****Reference No.:**
VR-H2009-141
A866T30070
300**Product info:**
A-Circuit, 14.5V**MH-70114****Reference No.:**
VR-H2009-144
513
31150-REA-Z01**Product info:**
A-Circuit, 14.5V**MH-70115****Reference No.:**
VR-H2009-147
548
32500-61J00**Product info:**
A-Circuit, 14.6V

MH-70116

Reference No.:
VR-H2009-173
660
333685

Product info:
A-Circuit, 14.5V

MH-70117

Reference No.:

Product info:
A-Circuit, 14.5V

MH-70118

Reference No.:
VR-H2009-176
654

Product info:
A-Circuit, 14.5V

MH-70119

Reference No.:

Product info:
A-Circuit, 14.5V

MH-70120

Reference No.:
A2TX2581ZD

Product info:
A-Circuit, 14.2V

MH-70121

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-182 | A-Circuit, 14.5V |
| F82M-18-300 | |
| A2TC0591 | |

MH-70122

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-188 | A-Circuit, 14.4V |
| A002TX1381 | |


MH-70123

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2009-57 | A-Circuit, 14.5V |
| A866X25872 | |

MH-70124

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| | |

MH-70125



| | | |
|-----------------------|----------------------|---------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2009-14N | A-Circuit, 14.5V | Voltage Set Point 14.50 V |
| VR-H2009-92 | | |
| A866X11870 | | |
| A866X11872 | | |
| 32500-60A10 | | |
| IM275 | | |
| 235836 | | |
| 06-119 | | |
| A1T03191 | | |
| A1T03191ZC | | |

MH-70126



Reference No.:


VR-H2009-78
A866T09780
A866T09782
IM831
06-088
37300-33010
37300-33013

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

MH-70127



Reference No.:

VR-H2009-44
A866X23772
A866X23773
139667
IM834
06-134
A5T07091ZC
A5T07092ZC

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

MH-70128

Reference No.:

VR-MD06L
37370-22600
TA500Z09001
IY903

Product info:

A-Circuit, 14.6V

MH-70129

Reference No.:


Product info:

MH-70130

Reference No.:

Product info:

ND-70001



Reference No.:


VR-H2005-8
31150-PE7-661
31150-PE7-662
132831
IN057
126000-0570

Product info:

A-Circuit, 14.5 V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70002



Reference No.:

126000-2080
IN208

Product info:

A-Circuit, 14.4V

Voltage Set Point:14.40V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70003


Reference No.:

126000-2140
IN214

Product info:

A-Circuit, 14.5V

ND-70004



Reference No.:

VR-H2005-77
126000-2150
126000-2151
234731
8971227960
IN215
03-034


Product info:

A-Circuit, 14.5 V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:63.5mm

1996-97 Acura SLX3.2L,Isuzu
Trooper 3.2L(all 75Amere)

ND-70005



Reference No.:


VR-H2005-12
126000-0150
126000-0200
131527
27700-57050
IN217
03-015

Product info:

A-Circuit, 28.5V

A-Circuit
Voltage Set Point 28.50 V

ND-70006



Reference No.:

VR-H2005-11
126000-0180
126000-0520
131460
27700-64030
IN218
03-029
35-8203

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50V

ND-70007



Reference No.:

VR-H2005-197
1260003370
IN337

Product info:

ND-70008



Reference No.:

VR-H2005-4A
126000-0340
126000-0400
131459
27700-10060
IN220
35-8204
03-013

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.5V
Regulation:A-Circuit
Soft Start
LRC 5 sec
Field Shorted Circuit Protection
Active lamp function - with output
Under / Over Voltage Indication
With Mounting:63.5mm


ND-70009

Reference No.:

126000-7320
126600-7320
ARN4320

Product info:

ND-70010



Reference No.:

VR-H2005-5H
126000-0430
126000-1711
134447
31150-PE0-003
IN221
35-8205
03-079

Product info:

A-Circuit, 14.5V

ND-70011


Reference No.:

VR-H2005-37A
31400-SA5-004
31400-SA5-671
31400-SB0-004
IN223

Product info:

A-Circuit, 14.4 V

ND-70012



Reference No.:


VR-H2005-10
126000-0940
126000-1030
132859
31150-P08-013
IN224
35-8214
03-036

Product info:

A-Circuit, 14.5 V

A-Circuit
Voltage Set Point 14.50 V
L Terminal Drives Choke
DFM Function
63.5mm Mounting

ND-70013



Reference No.:


VR-H2005-9A
31150-PD6-004
31150-PD6-014
31150-PD6-024
132645
126000-0540
126000-1170
IN226
35-8213
03-038

Product info:

A-Circuit, 14.5 V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under / Over Voltage Indication
L Terminal Drives Choke
DFM Function
63.5mm Mounting

ND-70014



Reference No.:

VR-H2005-14H
126000-0371
132646
27700-87702-000
IN227

Product info:

A-Circuit, 14.5 V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70015

Reference No.:

VR-H2005-29
126000-0270
8-94239-0990
IN230

Product info:

A-Circuit, 14.2 V

ND-70016



Reference No.:

126000-0380
231060
CAT 7T2798
IN233
03-060

Product info:

A-Circuit, 28.5 V

A-Circuit
Voltage Set Point 28.50 V

ND-70017

Reference No.:

126000-0050
126000-0054
131467
CAT 8T9693
IN234

Product info:

A-Circuit, 14.4V

ND-70018

Reference No.:

VR-H2005-28
126000-0360
126000-0460
27700-63030
27700-72050
IN235

Product info:

A-Circuit, 14.5V

ND-70019



Reference No.:


VR-H2005-172
8-97183-613-0
126000-2480
126000-2500
IN248
03-077

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %, LRC 5 sec
Field, Shorted Circuit Protection
L Terminal Drives Choke
Under Voltage Indication
Over Voltage Indication
63.5mm Mounting

ND-70020



Reference No.:

VR-H2005-23A
126000-0550
126000-0980
132855
27700-10080
IN250
35-8217
03-007

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
Soft Start LRC 5 sec
Field Shorted Circuit Protection
Active lamp function - with output
Under / Over Voltage Indication
With Mounting:57.5mm

ND-70021



Reference No.:


VR-H2005-24
126000-0850
126000-0880
132860
8-94455-160-0
IN251
35-8216
03-044

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
Soft Start LRC 5 sec
Field Short Circuit Protected
IG Open Indication
Under/Over Voltage Indication
With Mounting:57.5mm

ND-70022



Reference No.:


VR-H2005-25
126000-0840
138664
32500-86210
IN252
35-8218
03-019

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
L Terminal Drives Choke
57.5mm Mounting

ND-70023



Reference No.:


VR-H2005-26A
126000-0720
126000-0721
133257
31400-86010
IN253
35-8215-1
03-080

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % , LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
57.5mm Mounting

ND-70024



Reference No.:


VR-H2005-39
126000-0600
126000-2730
133872
32500-85250
IN254
35-8221-1
03-005

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.5V
Regulation:A-Circuit
Field Short Circuit Protected
Over Voltage Indication
With Mounting:57.5mm

ND-70025



Reference No.:


VR-H2005-15H
126000-0970
126000-0971
133519
35-8220
IN255
03-066

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Field Shorted Circuit Protection
Over Voltage Indication
L Terminal Drives Choke
57.5mm Mounting

ND-70026




Reference No.:
126000-7040
134700
27700-78304-71
IN256

Product info:
A-Circuit, 14.0V

Voltage Set Point:14.0V
Regulation:A-Circuit
Soft Start LRC 5 sec
Field Short Circuit Protected
Under/Over Voltage Indication
With Mounting:57.5mm

ND-70027




Reference No.:
VR-H2005-32A
126000-1630
138662
35-8242
27700-11060
IN257
03-011

Product info:
A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:57.5mm
Soft Start LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication

ND-70028




Reference No.:
126000-2490
IN258

Product info:
A-Circuit, 14.4V

Voltage Set Point:14.40V
Regulation:A-Circuit
With Mounting:57.5mm

ND-70029



Reference No.:
VR-H2005-50A
126000-3790
126000-1740
333739
27700-66030
IN259
03-004

Product info:
A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:57.5mm
Soft Start
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

ND-70030

Reference No.:
126000-2300
126000-2600
31150-P5M-0030
IN260

Product info:
A-Circuit, 14.6V

ND-70031

| | |
|---|--|
| Reference No.: VR-H2005-140 126000-2650 IN265 | Product info: A-Circuit, 14.5V |
|---|--|

ND-70032


| | |
|---|--|
| Reference No.: 126000-2660 IN266 | Product info: A-Circuit, 28.3V |
|---|--|

ND-70033




| | | |
|---|--|--|
| Reference No.: 126000-1770 IN277 | Product info: A-Circuit, 14.5V | Voltage Set Point:14.50V Regulation:A-Circuit With Mounting:63.5mm |
|---|--|--|

ND-70034




| | | |
|--|--|--|
| Reference No.: VR-H2005-179 126000-3020 237642 27700-27070 IN302 03-081 | Product info: A-Circuit, 14.5V | A-Circuit Voltage Set Point 14.50 V Soft Start 30 % ,LRC 5 sec Field Shorted Circuit Protection Under/ Over Voltage Indication L Terminal Drives Choke DFM Function 63.5mm Mounting |
|--|--|--|

ND-70035



| | | |
|--|---|---|
| Reference No.: VR-H2005-100 126600-0520 126000-0540 131460 27700-75030 IN3054 03-096 | Product info: B-Circuit, 14.15V | A-Circuit Voltage Set Point 14.15 V Soft Start 30 % ,LRC 5 sec Field Shorted Circuit Protection Under/ Over Voltage Indication DFM Function 63.5mm Mounting 126600-0520 126600 |
|--|---|---|

ND-70036




Reference No.:
VR-H2005-83
N810F01288
ST17001
235457
IN317

Product info:
A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
L Terminal Drives Choke
DFM Function

ND-70037



Reference No.:
VR-H2005-172
126000-3300
237664
IN330
03-052

Product info:
A-Circuit, 14.5V


A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % , LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under / Over Voltage Indication
L Terminal Drives Choke
DFM Function
63.5mm Mounting

ND-70038

Reference No.:
126000-3370
27700-21040
IN337

Product info:
A-Circuit, 14.2V

ND-70039




Reference No.:
126000-3480
333049
IN348

Product info:
A-Circuit, 14.4V

Voltage Set Point:14.40V
Regulation:A-Circuit
With Mounting:57.5mm

ND-70040



Reference No.:
VR-H2005-64A
126000-3690
26768
27700-50040
IN369
03-082


Product info:
A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Active lamp function - with output
Under/ Over Voltage Indication
L Terminal Drives Choke
DFM Function
63.5mm Mounting

ND-70041


| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2005-105 | A-Circuit, 14.2V |
| 126000-3720 | |
| 27700-31040 | |
| IN372 | |

ND-70042




| | | |
|-----------------------|----------------------|---------------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2005-151B | A-Circuit, 28.3V | Voltage Set Point 28.30V |
| 126000-3730 | | Soft Start 30 % |
| IN373 | | Under / Over Voltage Indication |
| 03-102 | | 63.5mm Mounting |

ND-70043



| | | |
|-----------------------|----------------------|------------------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2005-19A | A-Circuit, 14.6V | Voltage Set Point 14.60 V |
| 126000-1470 | | Soft Start 30 % LRC 5 sec |
| 126000-1471 | | Field Shorted Circuit Protection |
| IN429 | | IG Open Indication |
| 35-8231 | | Active lamp function - with output |
| 232455 | | Under /Over Voltage Indication |
| 03-039 | | DFM Function |
| | | 63.5mm Mounting |

ND-70044




| | | |
|-----------------------|----------------------|---------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2005-10 | B-Circuit, 14.5V | Voltage Set Point 14.60 V |
| 126000-1410 | | L Terminal Drives Choke |
| 126000-1860 | | DFM Function |
| 132859 | | 63.5mm Mounting |
| 31150-P72-003 | | |
| IN431 | | |
| 03-033 | | |

ND-70045



| | | |
|-----------------------|----------------------|----------------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2005-16A | A-Circuit, 14.5V | Voltage Set Point 14.50 V |
| 126000-1200 | | Soft Start 30 % , LRC 5 sec |
| 134447 | | Field Shorted Circuit Protection |
| 8970320910 | | IG Open Indication |
| IN435 | | Under / Over Voltage Indication |
| 03-012 | | 63.5mm Mounting |

ND-70046



Reference No.:


VR-H2005-17A
126000-0931
126000-0932
131459
27700-70030
IN436

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.5V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70047



Reference No.:

VR-H2005-30A
126000-1730
126000-1750
135737
27700-11080
IN437
03-021

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:63.5mm
Soft Start
LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication

ND-70048



Reference No.:


VR-H2005-18A
126000-1110
126000-1260
135730
27700-46040
IN438

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70049



Reference No.:

VR-H2005-31A
126000-1580
126000-1640
135734
27700-46050
IN439
35-8238
03-017

Product info:

A-Circuit, 14.6V

Voltage Set Point:14.60V
Regulation:A-Circuit
Soft Start LRC 5 sec
Field Short Circuit Protected
Under/Over Voltage Indication
With Mounting:63.5mm

ND-70050



Reference No.:

VR-H2005-63A
126000-1810
126000-1850
138894
35-8234
27700-46060
IN441


Product info:

A-Circuit, 14.6V

Voltage Set Point:14.60V
Regulation:A-Circuit
Field Short Circuit Protected
Under/Over Voltage Indication
With Mounting:63.5mm

Toyota Camry,Lexus,Mazda,
Millenia 2.5L

ND-70051



Reference No.:
IN240

Product info:
A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:
FOR USE ON
Toyota Lift Trucks

ND-70052




Reference No.:
VR-H2205-34
126000-1130
126000-7160
136727
IN442

Product info:
A-Circuit, 14.1V

Voltage Set Point:14.10V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70053




Reference No.:
VR-H2005-34
126000-1760
136727
IN443
03-083

Product info:
A-Circuit, 14.4V

Voltage Set Point:14.40V
Regulation:A-Circuit
Soft Start
LRC 5 sec
Field Short Circuit Protected
Under/Over Voltage Indication
With Mounting:63.5mm

ND-70054



Reference No.:
VR-H2005-40
126000-2090
126000-2160
234557
31150-P2T-0030
IN445
35-8241
03-001

Product info:
A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
DFM Function
63.5mm Mounting
L Terminal Drives Choke

ND-70055




Reference No.:
VR-H2005-65
126000-3130
126000-3131
234091
27700-21020
IN447
03-028

Product info:
A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
Soft Start LRC 5 sec
Field Short Circuit Protected
Under/Over Voltage Indication
With Mounting:

Denso IR/IF Alternators

ND-70056



Reference No.:


VR-H2005-59
IN449
126000-1940
138638
03-045

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70057



Reference No.:


VR-H2005-60
126000-1800
138146
35-8246
IN450
03-025

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:57.5mm

ND-70058



Reference No.:

VR-H2005-48A
126000-1970
126000-1971
139268
32500-77E10
IN452
03-016

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
Soft Start
LRC 5 sec
Field Short Circuit Protected
Under/Over Voltage Indication
With Mounting:63.5mm

ND-70059



Reference No.:


VR-H2005-92
37300-3C170
235887
IN454

Product info:

A-Circuit, 14.6V

Voltage Set Point:14.60V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70060



Reference No.:


VR-H2005-64A
126000-2190
126000-2450
236768
31150-P5A-0030
IN455
35-8243
03-035

Product info:

A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
Soft Start LRC 5 sec
Field Shorted Circuit Protection
Active lamp function - with output
Under/ Over Voltage Indication
With Mounting:63.5mm

ND-70061



Reference No.:


VR-H2005-66
126000-2390
126000-7120
138297
27700-58060
IN460
03-030

Product info:

A-Circuit, 28.0V

Voltage Set Point:28.0V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70062



Reference No.:


VR-H2005-58
126000-2340
126000-7010
137395
27700-58020
IN461
03-101

Product info:

A-Circuit, 28.5V

A-Circuit
Voltage Set Point 28.50V
Soft Start 30 % ,LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
63.5mm Mounting

ND-70063



Reference No.:

126000-2310
126000-2320
333040
IN462
03-032

Product info:

A-Circuit, 28.5V

A-Circuit
Voltage Set Point 28.50V
63.5mm Mounting

ND-70064



Reference No.:


126000-2360
126000-7050
235748
27700-78303-71A
IN705
03-041

Product info:

A-Circuit, 28.0V

Voltage Set Point:28.0V
Regulation:A-Circuit
With Mounting:57.5mm

ND-70065



Reference No.:

VR-H2005-2
126000-0920
126000-1421
133526
27700-64110
IN920
03-009

Product info:

A-Circuit, 14.3V

A-Circuit
Voltage Set Point 14.30 V

ND-70066



Reference No.:

VR-H2005-2W
27700-1740
100213-0810
100213-0811
IN921
03-053

Product info:

A-Circuit, 14.3V

A-Circuit
Voltage Set Point 14.30 V

ND-70067


Reference No.:

VR-H2009-2
8943426800
126000-0920
1460
IN922

Product info:

A-Circuit, 14.3V

ND-70068



Reference No.:


126000-2520
IN9252

Product info:

A-Circuit, 14.25V

A-Circuit
Voltage Set Point 14.25 V

ND-70069



Reference No.:

126000-2540
185-2648
IN9254

Product info:

A-Circuit, 28.0V

A-Circuit
Voltage Set Point 28.00 V

ND-70070


Reference No.:

VR-H2005-89
0011
126600-0011
235899
27700-50060
IN6001

Product info:

B-Circuit, 14.2V

ND-70071



Reference No.:


VR-H2005-93
0022
0023
126600-0022
126600-0023
27700-20060
IN6002
03-073

Product info:

B-Circuit,
14.3V

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 % ,LRC 5 sec
Field Shorted Circuit Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication

ND-70072



Reference No.:


VR-H2005-94
126600-0030
126600-0031
IN6003
03-089

Product info:

B-Circuit,
14.8V

B-Circuit
Voltage Set Point 14.80 V
Soft Start 32 % , LRC 5 sec
Field, Lamp Shorted Circuit
Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication
DFM function

ND-70073



Reference No.:


VR-H2005-99
126600-0040
126600-0042
333029
IN6004
03-014

Product info:

B-Circuit,
14.7V

B-Circuit
Voltage Set Point 14.70 V
Soft Start 32 %
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

ND-70074



Reference No.:

VR-H2005-104
126600-0090
IN6009
03-090

Product info:

B-Circuit,
14.8V

B-Circuit
Voltage Set Point 14.80 V
Soft Start 32 % , LRC 5 sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
DFM function

ND-70075


Reference No.:

VR-H2005-164A
126600-0110
IN6011

Product info:

B-Circuit,
14.5V

ND-70076




Reference No.:
VR-H2005-91
26600-0150
IN6015
03-069

Product info:
B-Circuit, 14.2V

A-Circuit
Voltage Set Point 14.20 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication
DFM function

ND-70077




Reference No.:
VR-H2005-146
126600-3000
126600-3010
126600-3040
235837
IN6300
03-092

Product info:
A-Circuit, 14.3V

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 %
Field, Lamp Shorted Circuit Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication
DFM function

ND-70078



Reference No.:
VR-H2005-85
126600-3010
126600-3360
236329
31150RAAA010M
IN6301
03-074

Product info:
B-Circuit, 14.3V


B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 % ,LRC 5 sec
Field, Lamp Shorted Circuit Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication
DFM function

ND-70079

Reference No.:
VR-H2005-95
126600-3020
126600-3320
330529
IN6302

Product info:
B-Circuit, 14.5V

ND-70080




Reference No.:
VR-H2005-146
126600-3230
236329
IN6323
03-100

Product info:
B-Circuit, 14.05V

B-Circuit
Voltage Set Point 14.05 V
Soft Start 32 % , LRC 5 sec
Field, Lamp Shorted Circuit Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication
DFM function

ND-70081



Reference No.:


VR-H2005-101
126600-3240
126600-3440
IN6324
03-084

Product info:

B-Circuit,
14.45V

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 % ,LRC 2.5 sec
L Terminal Drives Choke
DFM function
RVC Regulator

ND-70082



Reference No.:

VR-H2005-163
126600-3290
GC33290
IN6329
03-085

Product info:

B-Circuit,
14.5V

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 % ,LRC 2.5 sec
L Terminal Drives Choke
DFM function
RVC Regulator

ND-70083



Reference No.:

VR-H2005-90
126600-0140
126600-3350
237650
IN6335
03-031

Product info:

B-Circuit,
14.6V

B-Circuit
Voltage Set Point 14.60 V
Soft Start 32 %
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

ND-70084



Reference No.:

VR-H2005-142
104210-3710
104210-3711
330289
IN6342
13304000

Product info:

A-Circuit,
14.5V

ND-70085



Reference No.:

VR-H2005-96
126600-3430
126600-3640
330843
IN6343

Product info:

B-Circuit,
13.5V

ND-70086




| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2005-150 | B-Circuit, 14.0V |
| 126600-3490 | |
| 333034 | |
| IN6349 | |

ND-70087



| | | |
|-----------------------|----------------------|----------------------------------|
| Reference No.: | Product info: | B-Circuit |
| VR-H2005-149 | B-Circuit, 14.7V | Voltage Set Point 14.70 V |
| 126600-3650 | | Soft Start 32 % |
| 11392 | | Field Shorted Circuit Protection |
| IN6365 | | Under Voltage Indication |
| 03-064 | | Over Voltage Indication |
| | | DFM function |

ND-70088



| | | |
|-----------------------|----------------------|----------------------------------|
| Reference No.: | Product info: | B-Circuit |
| VR-H2005-148 | B-Circuit, 14.6V | Voltage Set Point 14.60 V |
| 126600-3660 | | Soft Start 32 % |
| 104210-589 | | Field Shorted Circuit Protection |
| 333033 | | Under Voltage Indication |
| 11390 | | Over Voltage Indication |
| IN6366 | | DFM function |
| 03-065 | | |

ND-70089



| | | |
|-----------------------|----------------------|------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-H2005-88 | A-Circuit, 14.25V | RC=0 Vs=13.50V |
| 104210-3512 | | RC=55% Vs=14.25V |
| 104210-4700 | | PCM Regulator |
| 104210-4091 | | |
| 104210-5300 | | |
| IN6601 | | |
| 03-042 | | |


ND-70090

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-H2005-176 | A-Circuit, 14.4V |
| 104210-4050 | |
| 3M5T-10300UA | |
| 30667051A | |
| 8602920 | |

ND-70091


| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| 27700-40040 | A-Circuit, 14.4V |
| 27700-28080 | |
| REG6029I | |

ND-70092




| | | |
|-----------------------|----------------------|--|
| Reference No.: | Product info: | Voltage Set Point:14.0V Regulation:A-Circuit Soft Start LRC 5 sec Under/Over Voltage Indication With Mounting:63.5mm |
| VR-H2005-35 | A-Circuit, 14.0V | |
| IN440 | | |
| 126000-7100 | | |
| 35-8237 | | |
| 135734 | | |
| 03-059 | | |

ND-70093




| | | |
|-----------------------|----------------------|---|
| Reference No.: | Product info: | Voltage Set Point:28.0V Regulation:A-Circuit With Mounting:63.5mm |
| IN449-24 | A-Circuit, 14.5V | |

ND-70094




| | | |
|-----------------------|----------------------|--|
| Reference No.: | Product info: | Voltage Set Point:14.50V Regulation:A-Circuit With Mounting:63.5mm |
| IN451 | A-Circuit, 14.5V | |

ND-70095



| | | |
|-----------------------|----------------------|---|
| Reference No.: | Product info: | Voltage Set Point:14.50V Regulation:A-Circuit Soft Statr LRC 5 sec Field Short Circuit Protected Under/Over Voltage Indication With Mounting:63.5mm |
| VR-H2005-46A | A-Circuit, 14.5V | |
| IN453 | | |
| 35-8240 | | |
| 139584 | | |
| 126000-1960 | | |
| 126000-2050 | | |
| 03-008 | | |

ND-70096



Reference No.:
IN9218

Product info:
A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70097



Reference No.:
IN219

Product info:
A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70098



Reference No.:
IN320
12600-0400

Product info:
A-Circuit, 14.4V

Voltage Set Point:14.5V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70099




Reference No.:
VR-H2005-33
IN434
126000-0610
126000-1110
35-8225
03-027

Product info:
A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % , LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under / Over Voltage Indication
63.5mm Mounting

ND-70100




Reference No.:
VR-2005-8
IN225
126000-0570
132831

Product info:
A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
Soft Start
LRC 5 sec
Field Shorted Circuit Protection
Active lamp function - with output
Under /Over Voltage Indication
With Mounting:63.5mm

ND-70101




Reference No.:
IN433
126000-1360

Product info:
A-Circuit, 14.4V

Voltage Set Point:14.50V
Regulation:A-Circuit
With Mounting:63.5mm

ND-70102




Reference No.:
VR-H2005-166
104210-9031
8973697161
03-088

Product info:
B-Circuit, 14.5V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

ND-70103




Reference No.:
IN444
35-8213

Product info:
B-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
Soft Start
LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
With Mounting:63.5mm

ND-70104




Reference No.:
391008N23
0204113059GL
13310600
13310700

Product info:
B-Circuit, 14.6V

B-Circuit
Voltage Set Point 14.60 V
Soft Start 25%
LRC 5Sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self Exciting Function

ND-70105



Reference No.:
126600-4490
13370100

Product info:
B-Circuit, 14.1V

B-Circuit
Voltage Set Point 14.10 V
LRC 5Sec DFM Function

ND-70106

Reference No.: VR-H2005-32
Product info:

ND-70107

Reference No.: VR-H2005-91A
VR-H2005-91
IN6015
Product info:

ND-70108



Reference No.: VR-H2005-102B
YR669
Product info:

ND-70109

Reference No.:
Product info:

ND-70110

Reference No.: VR-H2005-23
IN250
Product info:

ND-70111

Reference No.: Product info:

ND-70112

Reference No.: Product info:

ND-70113

Reference No.: Product info:

ND-70114

Reference No.: Product info:

ND-70115

Reference No.: Product info:

VL-70001

| Reference No.: | Product info: |
|----------------|------------------|
| VR-V014 | A-Circuit, 14.4V |
| 2542435 | |
| 493820 | |
| 9RC6120 | |
| 9RC6131C | |
| 71-80006 | |

VL-70002

| Reference No.: | Product info: |
|----------------|------------------|
| M593 | A-Circuit, 14.4V |

VL-70003

| Reference No.: | Product info: |
|----------------|------------------|
| 2542435 | A-Circuit, 14.5V |
| 493820 | |
| 9RC6120 | |

VL-70004

| Reference No.: | Product info: |
|----------------|------------------|
| 93740810 | A-Circuit, 14.5V |
| 13830700 | |
| 08-038 | |
| M582 | |

VL-70005

| Reference No.: | Product info: |
|----------------|------------------|
| 37370-02550 | A-Circuit, 14.5V |
| 13830600 | |
| 13830508-036 | |

VL-70006



Reference No.:

VR-V3279
595243
2543279
M573
08-075
TG17C041
TG17C030B

Product info:

B-Circuit,
14.3V

B-Circuit
Voltage Set Point 14.30 V
Soft Start 12.5 %,LRC 3 Sec
Self Exciting Function
LIN Regulator

VL-70007

Reference No.:

VR-VW005N
2519124
2519490
2522098
135393
2940318
M506

Product info:

A-Circuit,
14.1V

VL-70008

Reference No.:

VR-VW005N
2523190
2521760
9RC2021
037-903-803
M507

Product info:

A-Circuit,
14.5V

VL-70009

Reference No.:

VR-VW005N
2519124
2522939
2523198
9RC2018
9RC7088
M508

Product info:

A-Circuit,
15.0V

VL-70010

Reference No.:

VR-VW009
592792
0001500255
133783
M509

Product info:

A-Circuit,
14.4V

VL-70011

Reference No.:

592602
YV5914
137694
M510

Product info:

A-Circuit, 14.4V

VL-70012



Reference No.:

VR-VW010
2521335,
2541392
25414041
34475
028903803F
M511

Product info:

A-Circuit, 14.5V

VL-70013

Reference No.:

VR-PR1668
2541407
592802
135513
YV1668H
M512HD

Product info:

A-Circuit, 14.5V

VL-70014

Reference No.:

VR-PR1667
2541496
592793
135434
A808239A
M513HD

Product info:

A-Circuit, 14.5V

VL-70015



Reference No.:

VR-PR1669
2541715
2541715B
136546
RTM151A
M514
08-007

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V

VL-70016

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR6366 | B-Circuit, 14.8V |
| 2546366C | |
| 2546493C | |
| 2808488B | |
| 591092 | |
| M515 | |

VL-70017



| Reference No.: | Product info: | |
|----------------|------------------|---------------------------|
| 593434 | A-Circuit, 14.7V | A-Circuit |
| 593466 | | Voltage Set Point 14.70 V |
| 235079 | | |
| M555 | | |
| 08-027 | | |
| SG12B040 | | |
| SG9B054 | | |

VL-70018



| Reference No.: | Product info: | |
|----------------|------------------|--|
| VR-PR1620H | B-Circuit, 14.5V | B-Circuit |
| 593316 | | Voltage Set Point 14.50 V |
| 2541952 | | Soft Start 30 % LRC 5 sec |
| YM1620 | | Field, Lamp Shorted Circuit Protection |
| M516 | | Under / Over Voltage Indication |
| 08-012 | | DFM Function |
| | | Self exciting function |

VL-70019



| Reference No.: | Product info: | |
|----------------|------------------|----------------------------------|
| VR-PR002H | B-Circuit, 14.4V | B-Circuit |
| 593310 | | Voltage Set Point 14.50 V |
| 593290 | | Soft Start 30 % LRC 5 sec |
| 593349 | | Field Shorted Circuit Protection |
| 139456 | | Under Voltage Indication |
| 230784 | | Over Voltage Indication |
| 230785 | | DFM function |
| YM1626F | | Self exciting function |
| M517 | | |
| M521 | | |
| 08-006 | | |

VL-70020

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR2222 | B-Circuit, 14.5V |
| 2542222B | |
| M518 | |

VL-70021



Reference No.:

VR-PR6603H
593284
2541834
YM6603
235082
M519
08-009
2541834
2541840

Product info:

B-Circuit, 14.5V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %, LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function

VL-70022



Reference No.:


593406
235369
593362
M553
08-048

Product info:

B-Circuit, 14.5V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30% LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
Self exciting function

VL-70023



Reference No.:

VR-V2499
2542499
M520

Product info:

B-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:B-Circuit
Soft Start
LRC 5 sec
Field Short Circuit Protected
Sense Open Indication
Under Voltage Indication
Over Voltage Indication
DFM Function

VL-70024

Reference No.:

VR-PR2292H
593941,
YM1626F
231103
M521

Product info:

B-Circuit, 14.5V

VL-70025



Reference No.:

VR-PR2206
2542378B
2543325B
2543327
2580341
YM3699
M523
08-033

Product info:

B-Circuit
Voltage Set Point 14.80 V
Soft Start 32 %
LRC 5 sec Field,
Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

VL-70026



Reference No.:

VR-PR2765
2542765
2542765C
2548154E
261726
2650490
M524

Product info:

B-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:B-Circuit
Soft Start
LRC 5 sec
Field Short Circuit Protected
Under Voltage Indication
Over Voltage Indication
DFM function
Self exciting function

VL-70027

Reference No.:

VR-PR3389
2542213
2548923
236390
593389
M525

Product info:

B-Circuit, 14.5V

VL-70028

Reference No.:

VR-PR1935
2546366D,
2546493D
593342
M526

Product info:

B-Circuit, 14.5V

VL-70029



Reference No.:

VR-PR3617H
593333
2542209B
231663
230900
M527
08-040
2541884
2541912

Product info:

B-Circuit, 14.5V

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 % LRC 5 sec
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self Exciting Function

VL-70030

Reference No.:

VR-PR1601H
593141
YM1601T
138301
M528

Product info:

B-Circuit, 14.5V

VL-70031

| Reference No.: | Product info: |
|----------------|------------------|
| 2542521B | B-Circuit, 14.5V |
| 493811 | |
| 439465 | |
| 439466 | |
| M529 | |
| 13801500 | |
| 13801508-031 | |

VL-70032

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR1935 | B-Circuit, 14.8V |
| 2542521B, | |
| 9RC7109 | |
| 593342 | |
| 2541935B | |
| M530 | |


VL-70033

| Reference No.: | Product info: |
|----------------|------------------|
| VR-V5001 | B-Circuit, 14.5V |
| 20051012, | |
| 2655479 | |
| 235845 | |
| 2655001 | |
| M531 | |

VL-70034

| Reference No.: | Product info: |
|------------------|------------------|
| 37300-22650 | B-Circuit, 14.5V |
| A0002655023 | |
| A002655023 | |
| JFZ1929C-6DIODES | |
| M532 | |

VL-70035



| Reference No.: | Product info: | |
|----------------|------------------|-------------------------------|
| VR-PR2339 | B-Circuit, 14.5V | Voltage Set Point:14.50V |
| 2542339B | | Regulation:B-Circuit |
| A14V163 | | Soft Start |
| M533 | | LRC 5 sec |
| | | Field Short Circuit Protected |
| | | Sense Open Indication |
| | | Under Voltage Indication |
| | | Over Voltage Indication |
| | | DFM Function |

VL-70036

| Reference No.: | Product info: |
|----------------|------------------|
| VR-V0030 | B-Circuit, 14.4V |
| 2650030 | |
| 2650047 | |
| 23100-5Z00 | |
| M534 | |

VL-70037



| Reference No.: | Product info: |
|----------------|---------------------------|
| 2608236 | B-Circuit |
| 08-049 | Voltage Set Point 14.30 V |
| | Soft Start 20 % LRC 3 sec |
| | Self Exciting Function |
| | BSS Regulator |


VL-70038

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR1671 | A-Circuit, 14.2V |
| 541781 | |
| 593132 | |
| 593140 | |
| 139475 | |
| 808424 | |

VL-70039

| Reference No.: | Product info: |
|----------------|------------------|
| VR-V0441 | B-Circuit, 13.8V |
| 2606074 | |
| 2650441 | |
| 2650557 | |
| 2650561 | |
| 15926088 | |
| M540 | |

VL-70040




| Reference No.: | Product info: |
|----------------|----------------------------------|
| VR-V5120 | B-Circuit, 14.5V |
| 2542775 | Voltage Set Point:14.50V |
| 2611164 | Regulation:B-Circuit |
| 2542919 | Soft Start 30 % |
| M542 | LRC 5 sec |
| M562 | Field Shorted Circuit Protection |
| | Under Voltage Indication |
| | Over Voltage Indication |
| | DFM function |
| | Self exciting function |

VL-70041

| Reference No.: | Product info: |
|----------------|------------------|
| VR-V3231 | B-Circuit, 14.5V |
| 2543231 | |
| 593877 | |
| 235853 | |
| 333735 | |
| M543 | |

VL-70042



| Reference No.: | Product info: | |
|----------------|------------------|----------------------------------|
| VR-V5745 | B-Circuit, 14.5V | Voltage Set Point:14.50V |
| 133421122 | | Regulation:B-Circuit |
| 20080710 | | Soft Start 30 % |
| 133421122 | | LRC 5 sec |
| 20080710 | | Field Shorted Circuit Protection |
| M544 | | Under Voltage Indication |
| | | Over Voltage Indication |
| | | Self exciting function |

VL-70043



| Reference No.: | Product info: | |
|----------------|------------------|----------------------------------|
| VR-PR2299H | B-Circuit, 14.5V | B-Circuit |
| 2542299 | | Voltage Set Point 14.50 V |
| 593384 | | Soft Start 30 % LRC 5 sec |
| 593396 | | Field Shorted Circuit Protection |
| 232962 | | Under Voltage Indication |
| 333663 | | Over Voltage Indication |
| M546 | | DFM Function |
| 08-008 | | Self exciting function |

VL-70044

| Reference No.: | Product info: | |
|----------------|------------------|--------|
| VR-PR2292H | B-Circuit, 14.5V | 231103 |
| 593813 | | 593940 |
| 593455 | | 593941 |
| 593942 | | |
| M547 | | |

VL-70045



| Reference No.: | Product info: | |
|----------------|------------------|----------------------------------|
| VR-V3689 | B-Circuit, 14.4V | B-Circuit |
| 593546 | | Voltage Set Point 14.50 V |
| 593689 | | Soft Start 30 % LRC 5 sec |
| 232962 | | Field Shorted Circuit Protection |
| 333663 | | Under / Over Voltage Indication |
| M546 | | Self exciting function |
| 08-066 | | |

VL-70046

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-V5745 | B-Circuit, 14.5V |
| 20050526 | |
| 2655544 | |
| 114827 | |
| M550 | |

VL-70047



| | | |
|-----------------------|----------------------|----------------------------------|
| Reference No.: | Product info: | |
| VR-PR3534 | A-Circuit, 14.5V | Voltage Set Point:14.50V |
| 2542934 | | Regulation:B-Circuit |
| 593477 | | Soft Start 30 % |
| 593534 | | LRC 5 sec |
| 593505 | | Field Shorted Circuit Protection |
| 234115 | | Under Voltage Indication |
| M551 | | Over Voltage Indication |
| 08-020 | | Self exciting function |

VL-70048



| | |
|-----------------------|---------------------------|
| Reference No.: | Product info: |
| 595458 | B-Circuit |
| 2608221 | Voltage Set Point 14.30 V |
| 1380C100 | Soft Start25% LRC 3 Sec |
| 08-044 | Self Exciting Function |
| | BSS Regulator |

VL-70049

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-V0447 | B-Circuit, 14.4V |
| 2650364 | |
| TG12C032 | |
| 2100-JA02A | |
| 23100-JA02B | |
| M556 | |

VL-70050

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-V3874 | B-Circuit, 14.5V |
| 593874 | |
| 593454 | |
| 234961 | |
| YM1666FP5 | |
| M557 | |

VL-70051

| Reference No.: | Product info: |
|----------------|------------------|
| VR-V0219 | B-Circuit, 14.5V |
| 2650473 | |
| 20030410 | |
| 2650219 | |
| 2650348 | |
| 20031203 | |
| M558 | |

VL-70052

| Reference No.: | Product info: |
|----------------|------------------|
| VR-V5428 | B-Circuit, 14.6V |
| 2655428 | |
| M536 | |

VL-70053



| Reference No.: | Product info: | |
|----------------|------------------|----------------------------------|
| 2543494 | B-Circuit, 14.5V | Voltage Set Point:14.50V |
| 593532 | | Regulation:B-Circuit |
| YR66P | | Soft Start 30 % LRC 5 sec |
| 235657 | | Field Shorted Circuit Protection |
| YR6608 | | Under Voltage Indication |
| M561 | | Over Voltage Indication |
| | | DFM Function |
| | | Self exciting function |
| | | For use on: Citroen Xantia |

VL-70054



| Reference No.: | Product info: | |
|----------------|------------------|---|
| VR-PR3529 | B-Circuit, 14.5V | B-Circuit |
| 593529 | | Voltage Set Point 14.50 V |
| 593993 | | Soft Start 30 % LRC 5 sec |
| 595993 | | Field Shorted Circuit Protection |
| 234982 | | Under/ Over Voltage Indication |
| 239885 | | DFM function with duty cycle limitation |
| M562 | | Self exciting function |
| 08-001 | | |
| SG10B022 | | |
| SG10B023 | | |

VL-70055

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR5011 | B-Circuit, 14.5V |
| 20071017 | |
| 20080622 | |
| 2655006 | |
| M563 | |

VL-70056



Reference No.:

VR-V3419
593419
593779
233633
21660
22929
23114
23163
M564
08-018

Product info:

B-Circuit, 14.5V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
Self exciting
DFM Function

VL-70057

Reference No.:

VR-PR4920
593675
599121
599123
234820
M566

Product info:

B-Circuit, 14.2V

VL-70058

Reference No.:

VR-V6131
13480351
9RC6131
237153
W20100714
M569

Product info:

A-Circuit, 14.5V

VL-70059

Reference No.:

VR-V114
595253
2604114
330202
335008
M571

Product info:

B-Circuit, 14.4V

VL-70060

Reference No.:

2606174
2542926
2542927
2543488
23100-AX610
M572

Product info:

B-Circuit, 14.5V

VL-70061

| Reference No.: | Product info: |
|----------------|------------------|
| VR-V3666 | B-Circuit, 14.5V |
| 2549916B | |
| 593666 | |
| 236306 | |
| YM1689PF | |
| M574 | |

VL-70062

| Reference No.: | Product info: |
|----------------|------------------|
| 593793 | B-Circuit, 14.5V |
| 12317789980 | |
| 236601 | |
| M578 | |

VL-70063

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR5023 | B-Circuit, 14.5V |
| 2455023 | |
| 37370-22650 | |
| 236224 | |
| 2607089 | |
| M532 | |

VL-70064

| Reference No.: | Product info: |
|----------------|------------------|
| VR-V5460 | B-Circuit, 13.8V |
| TG12C070 | |
| 599386 | |
| 2605460 | |
| 2616783 | |
| ARE3117 | |
| 13500586 | |

VL-70065

| Reference No.: | Product info: |
|----------------|------------------|
| 27700-0Y030 | B-Circuit, 14.4V |
| 27060-0Y110 | |

VL-70066



| Reference No.: | Product info: | |
|----------------|---------------|---------------------------|
| 595458 | | B-Circuit |
| 2608221 | | Voltage Set Point 14.30 V |
| 08-044 | | Soft Start 25% LRC 3 Sec |
| | | Self Exciting Function |
| | | BSS Regulator |

VL-70067



| Reference No.: | Product info: | |
|----------------|------------------|-----------------------------|
| 599340 | B-Circuit, 14.3V | B-Circuit |
| 2623788 | | Voltage Set Point 14.30 V |
| TG14C044 | | Soft Start 12.5 %,LRC 3 Sec |
| 13805340 | | Self Exciting Function |
| | | LIN Regulator |

VL-70068



| Reference No.: | Product info: | |
|----------------|------------------|---------------------------|
| 593873 | B-Circuit, 14.3V | B-Circuit |
| 2610118 | | Voltage Set Point 14.30 V |
| TG15C098 | | Soft Start 20% LRC 3 Sec |
| 1380B900 | | Self Exciting Function |
| | | BSS Regulator |

VL-70069



| Reference No.: | Product info: | |
|----------------|---------------|-----------------------------|
| 593970 | | B-Circuit |
| 2543298 | | Voltage Set Point 14.30 V |
| VR-V4291 | | Soft Start 12.5 %,LRC 3 Sec |
| M576 | | Self Exciting Function |
| 08-073 | | LIN Regulator |

VL-70070



| Reference No.: | Product info: | |
|----------------|---------------|---------------------------|
| M234 | | B-Circuit |
| 595305 | | Voltage Set Point 14.00 V |
| 599234 | | LRC 3 sec |
| 08-074 | | Self Exciting Function |
| | | LIN Regulator |

VL-70071



Reference No.:
9RC8200
4702504
08-077

Product info:

B-Circuit
Voltage Set Point 14.30 V
Soft Start 12.5 %,LRC 3 Sec
Self Exciting Function
LIN Regulator

VL-70072



Reference No.:
593362
YM1610F
234533
08-016

Product info:

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
Self exciting function

VL-70073

Reference No.:
595332
599119

Product info:

VL-70074

Reference No.:
VR-V2604
2543505
2543535
2591579
2591894
591894
595365
M575

Product info:

VL-700

Reference No.:

Product info:

VL-700

Reference No.: Product info:

VL-700

Reference No.: Product info:
B-Circuit, 14.3V

VL-700

Reference No.: Product info:
B-Circuit, 14.3V

VL-700

Reference No.: Product info:

VL-700

Reference No.: Product info:

NA-70801




Reference No.:
VR-H2005-171
126600-7170
331744

Product info:

B-Circuit
Voltage Set Point 13.70 V
Soft Start 25%,LRC 3 sec
Self Exciting Function
LIN Regulator

NA-70802



Reference No.:
VR-H2005-189

Product info:

NA-70803



Reference No.:
VR-H2005-190

Product info:

NA-70804



Reference No.:
VR-H2005-194

Product info:

NA-70805



Reference No.:
VR-H2005-178

Product info:

NA-70806

Reference No.: VR-H2005-156
Product info:

NA-70807

Reference No.: VR-H2005-183
Product info:

NA-70808

Reference No.: VR-H2005-206
Product info:

NA-70809

Reference No.: VR-H2005-210
Product info:

NA-70810



Reference No.: VR-H2005-91
IN6015
126600-0150
Product info: A-Circuit, 14.5V

Voltage Set Point:14.50V
Regulation:A-Circuit
Soft Start
Field Short Circuit Protected
Under Voltage Indication
Over Voltage Indication

NA-70811




Reference No.:
IN6315

Product info:
A-Circuit,14.50V

Voltage Set Point:14.50V
Regulation:A-Circuit
Soft Start
Field Short Circuit Protected
Under Voltage Indication
Over Voltage Indication

NA-70812



Reference No.:
VR-H2005-149
IN6365

Product info:
A-Circuit,14.50V

Voltage Set Point:14.50V
Regulation:A-Circuit
Soft Start
Field Short Circuit Protected
Under Voltage Indication
Over Voltage Indication

NA-70813



Reference No.:
VR-H2005-85
IN6301
126600-3010
126600-3040
126600-3390

Product info:
A-Circuit,14.10V

Voltage Set Point:14.10V
Regulation:A-Circuit

FOR USE ON
Denso IR/IF Alternators

NA-70814



Reference No.:
VR-H2005-90
IN6335
126600-3350
104210-329

Product info:
B-Circuit,14.50V

Voltage Set Point:14.50V
Regulation:B-Circuit
Soft Start
Field,Lamp Short Circuit Protected
Under Voltage Indication
Over Voltage Indication

NA-70815

Reference No.:
VR-H2005-83

Product info:


NA-70001

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-F114A | A-Circuit, 14.2V |
| 64808106 | |
| 64808140 | |
| 130652 | |
| 4475112 | |
| IX106 | |

NA-70002

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-F114B | A-Circuit, 27.5V |
| 64808141 | |
| RTT1148 | |
| 130653 | |
| 9983355 | |
| IX108 | |

NA-70003



| | | |
|-----------------------|----------------------|--|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 14.50 V |
| VR-F119 | A-Circuit, 14.5V | Fiat - Allis, Lister - Petter |
| 58120022 | | |
| 79707161 | | |
| 131283 | | |
| 83600151 | | |
| IX110 | | |
| 07-001 | | |
| 063306701010 | | |
| 063306721010 | | |

NA-70004



| | | |
|-----------------------|----------------------|---|
| Reference No.: | Product info: | A-Circuit Voltage Set Point 28. 50 V |
| VR-F119B | A-Circuit, 28.5V | |
| 79707441 | | |
| 131286 | | |
| 8190407 | | |
| IX111 | | |
| 07-005 | | |
| 63308399 | | |
| 63320025 | | |


NA-70005

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| 83603151010 | A-Circuit, 14.7V |
| IX112 | |

NA-70006

| Reference No.: | Product info: |
|----------------|------------------|
| VR-F118 | A-Circuit, 14.5V |
| 64808241 | |
| RTT118C | |
| 133956 | |
| 64808182 | |
| 64808184 | |
| IX118 | |

NA-70007



| Reference No.: | Product info: | |
|----------------|------------------|----------------------------------|
| VR-F151A | A-Circuit, 14.5V | A-Circuit |
| 5812005300 | | Voltage Set Point 14.50 V |
| RTM121A | | Soft Start 32 % LRC 5 sec |
| 136432 | | Field Shorted Circuit Protection |
| 85561291 | | Under /Over Voltage Indication |
| IX121 | | Self-exciting |
| 07-014 | | |
| 63320200 | | |
| 63320219 | | |

NA-70008

| Reference No.: | Product info: |
|----------------|------------------|
| VR-F155 | A-Circuit, 14.4V |
| 85562061/63501 | |
| 235421 | |

NA-70009



| Reference No.: | Product info: | |
|----------------|------------------|----------------------------------|
| VR-F151A | A-Circuit, 14.5V | A-Circuit |
| 136432 | | Voltage Set Point 14.50 V |
| IX122 | | Soft Start 32 % LRC 5 sec |
| 07-014 | | Field Shorted Circuit Protection |
| 63320200 | | Under /Over Voltage Indication |
| 63320219 | | Self-exciting |

NA-70010



| Reference No.: | Product info: | |
|----------------|------------------|----------------------------------|
| VR-F153A | A-Circuit, 14.5V | A-Circuit |
| 83617181 | | Voltage Set Point 14.50 V |
| 85561921 | | Soft Start 30 % LRC 5 sec |
| 138789 | | Field Shorted Circuit Protection |
| RTM153B | | Under / Over Voltage Indication |
| IX123 | | Self-exciting |
| 35-9306 | | |
| 07-032 | | |
| 63320310 | | |
| 63321240 | | |

NA-70011

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| 83631901 | B-Circuit, 14.2V |
| 138789 | |
| IX124 | |

NA-70012



| | | |
|-----------------------|----------------------|----------------------------------|
| Reference No.: | Product info: | A-Circuit |
| VR-F121 | A-Circuit, 14.6V | Voltage Set Point 14.60 V |
| 136457 | | Soft Start 32 % LRC 5 sec |
| IX128 | | Field Shorted Circuit Protection |
| 35-9305 | | Under Voltage Indication |
| 28010B | | Over Voltage Indication |
| 28018A | | With Trio Diode Application |
| 07-024 | | |
| 54022469 | | |
| 54022470 | | |

NA-70013

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-F154B | A-Circuit, 28.5V |
| 102211-8140 | |
| 63377466 | |
| 63377465 | |
| 114302 | |

NA-70014

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-F154 | A-Circuit, 14.2V |
| 28010B | |
| 28018A | |
| STC985 | |
| IX128 | |

NA-70015

| | |
|-----------------------|----------------------|
| Reference No.: | Product info: |
| VR-F121T | A-Circuit, 14.4V |
| 28017D | |
| 54209305 | |
| 83614251 | |
| RTM24TR | |
| IX129 | |

NA-70016



Reference No.:

VR-F156
230790
085582601010
08558260110
IX131
07-019
63321678
63321679

Product info:

A-Circuit, 14.0V

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator

NA-70017



Reference No.:

VR-F160
L9115L5
RTM200.09
233636
RTM200.03
IX594
1371430
63320535
63320545
07-016

Product info:

A-Circuit, 14.6V

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Self Exciting Function

NA-70018



Reference No.:

VR-F159
85552506
RTM200.13
239983
46835095
IX595
07-020
63377495
63377532

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM function
Cut-in Speed: 1200rpm
Self-exciting

NA-70019



Reference No.:

VR-F153

Product info:

A-Circuit, 14.5V

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self-exciting

NA-70020

Reference No.:

Product info:

A-Circuit, 14.2V

NA-70021



Reference No.:

VR-F161
126600-7240
CRE30118
330299
07-027
IX138
DAN1055
DAN584
DAN585

Product info:

B-Circuit, 14.5V

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Under / Over Voltage Indication
DFM function
Self-exciting

NA-70022

Reference No.:

VR-PR1000H
2590588
300668
130657
5000820239
IP122

Product info:

A-Circuit, 14.4V

NA-70023

Reference No.:

VR-PR123
092867
300669
92867
940038163
YL123
IP123

Product info:

A-Circuit, 14.4V

NA-70024

Reference No.:

VR-PR2000H
576145
576156
576167
576174
579167
IP125

Product info:

A-Circuit, 14.5V

NA-70025

Reference No.:

VR-PR135B
182169
NC184
UCB239
131300
21225372
IP129B

Product info:

A-Circuit, 27.5V

NA-70026

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR135 | A-Circuit, 14.5V |
| 300692 | |
| 300741 | |
| 131226 | |
| YL-135 | |
| YL-146 | |
| IP135B | |

NA-70027

| Reference No.: | Product info: | IP1639 |
|----------------|------------------|--------|
| VR-PR126 | A-Circuit, 14.4V | |
| 092937 | | |
| 092982 | | |
| 092990 | | |
| 131146 | | |
| 182005 | | |
| YH1639 | | |

NA-70028

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR1000H | A-Circuit, 14.4V |
| 5000820239 | |
| 7701028400 | |
| 130657 | |
| 21225345 | |
| UCB218 | |
| IP1652 | |

NA-70029

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR1926 | A-Circuit, 14.5V |
| 576179 | |
| 9405761798 | |
| 2541192 | |
| UCB246 | |
| IP1926 | |

NA-70030

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR3729A | A-Circuit, 27.5V |
| 590536 | |
| 940038173 | |
| 235829 | |
| IP729B | |


NA-70031

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR135 | A-Circuit, 14.3V |
| 2518337 | |
| 2590512 | |
| 131226 | |
| YV-77 | |
| IP735B | |

NA-70032

| Reference No.: | Product info: |
|----------------|------------------|
| VR-PR7736 | A-Circuit, 14.2V |
| 541456 | |
| 593135 | |
| 136910 | |
| YV7736 | |
| IP736 | |

NA-70033



| Reference No.: | Product info: | |
|----------------|------------------|---|
| IK5444 | A-Circuit, 14.7V | Voltage Set Point:14.60V Regulation:A-Circuit ISKRA |
| 11125204 | | |
| 11125165 | | |

NA-70034




| Reference No.: | Product info: | |
|----------------|------------------|--|
| 37701 | A-Circuit, 14.6V | A-Circuit Voltage Set Point 14.60 V |
| 37703 | | |
| 37705 | | |
| 37707 | | |
| 131277 | | |
| 35-9209 | | |
| VR-LC111 | | |
| IL223 | | |
| 00-001 | | |
| CA600IR | | |

NA-70035

| Reference No.: | Product info: | |
|----------------|----------------|---|
| 46-82200 | Terminal Block | Nippondenso ER/EF, ER/IF Alternators |

NA-70036



Reference No.:
07-037

Product info:

B-Circuit
Voltage Set Point 13.70 V
Soft Start 25 %,LRC 3 sec
Self Exciting Function
LIN Regulator

NA-70037

Reference No.:
46-82207

Product info:
Terminal Block

Denso 136-160A ER/IF Alt.

NA-70038

AER1613